

TUSCANY GRAPE

Current revision date: 03/04/2024

Current revision number: 00

Previous revision date: --/--/----

Previous revision number: --

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Commercial name : TUSCANY GRAPE

UFI : 1XCO-POMP-E00V-09W6

European product categorisation system (EupPCS): PC-AIR-4 - Air care products for vehicles

1.2 Relevant identified uses of the substance or mixture and uses advised against

Uses	CONSUMER	PROFESSIONAL	INDUSTRIAL
	EVA air freshener for small rooms		

Uses advises against : All those not expressly identified on the label

Life cycle stages : C-Consumer use

1.3 Details of the supplier of the safety data sheet

1.3.1 Manufacturer in the European Union

Joy Fragrances s.r.l.

Via Gavinana, 14 - 21052 BUSTO ARSIZIO (VA) - Italy

tel. +39 0331 536942 - www.mrandmrsfragrance.comemail competent person info@joyfragrances.it

1.3.2 Importer in the Swiss community

Supair-Tel AG

Europastrasse 30 CH-8152 Glattbrugg

Tel. +41 448721616

1.4 Emergency telephone number

Joy Fragrances s.r.l. - Tel +39 +39 0331 536942 – from 09,30 to 12,30 – from 15,30 to 19,30

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.1 Classification in accordance with Regulation (EC) No 1272/2008:

The product is classified as dangerous pursuant to the provisions of Regulation (EC) 1272/2008 (CLP) (and subsequent amendments and adjustments), the product therefore requires a safety data sheet compliant with the provisions of Regulation (EU) 2020/878.

Hazard pictogram(s) : GHS07

Hazard Class and Notes Category Code(s) : Skin. Sens. 1B, Aquatic Chronic 3

Hazard statement Code(s) : H317 - May cause an allergic skin reaction.
H412 - Harmful to aquatic life with long lasting effects

2.1.2 Adverse Effects

The product, if brought into contact with the skin, may cause skin sensitization. The product is dangerous for the environment as it is harmful to aquatic organisms with long lasting effects.

2.2 Label elements

2.2.1 Label in accordance with Regulation (EC) No 1272/2008

Hazard pictogram(s) : GHS07



Signal Word Code(s) : WARNING

Hazard statement Code(s) : H317 - May cause an allergic skin reaction.
H412 - Harmful to aquatic life with long lasting effects

Suppl. Hazard statement Code(s) : Not applicable

Precautionary statements :

General

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

Prevention

P280 - Wear protective gloves.

Response

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

Disposal

P501 - Dispose of contents/container in accordance with local/ national regulation.

Contains: Linalool, Limonene, Trans-2-hexenol, Linalyl acetate, Neryl acetate, Geraniol, 2,4-dimethyl-3-cyclohexene carboxaldehyde, Ethyl methylphenylglycidate, Hexyl cinnamal, Nerol, Neryl acetate, Allyl caproate.

2.2.2 Additional regulations to be implemented on the label

Regulation (EC) 648/2004 : Not applicable

Regulation (EU) 528/2012 : Not applicable

Additional information: Not a toy. Do not swallow. Do not leave the product exposed in environments with temperatures above 70°C. Do not use the product for purposes other than those intended. Only insert into the air vents. Avoid contact with shiny or metallic surfaces.

2.3 Other hazards

The mixture does NOT contain PBT / vPvB substances according to Regulation (EC) 1907/2006, annex XIII in concentrations equal to or greater than 0.1% by weight. The mixture does NOT contain substances that have been included in the list established in accordance with Article 59, paragraph 1 due to properties of interference with the endocrine system in concentrations equal to or greater than 0.1% by weight.

The mixture does NOT contain a substance identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentrations equal to or greater than 0.1% by weight.

ISO 8317 - Child-resistant packaging - Requirements and testing procedures for reclosable packages

EN 862 - Child-resistant packaging - Requirements and testing procedures for non-reclosable packages for non-pharmaceutical products

Not applicable

TUSCANY GRAPE

Current revision date: 03/04/2024

Current revision number: 00

Previous revision date: --/--/----

Previous revision number: --

Tactile warnings of danger (ISO 11683_Packaging - Tactile warnings of danger - Requirements)

Not applicable

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant

3.2 Mixtures

Refer to section 16 for the full text of the hazard statements.

Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
603-235-00-2	201-134-4	78-70-6	01-2119474016-42	Linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool	1.0 < x < 1.5
				Classification	
				Supplementary Hazard Statement Code(s)	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)
Hazard Class and Category Code(s), Hazard Statement Code(s)				Pictograms, Signal Word Code(s)	Notes
Skin Irrit. 2 H315, Skin Sens. 1B H317, Eye Irrit. 2 H319			--	GHS07, WARNING	--
					Named SEVESO categories
					NO
Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
601-096-00-2	227-813-5	5989-27-5	01-2119529223-47	(R)-p-mentha-1,8-diene / d-limonene	1.0 < x < 1.2
				Classification	
				Supplementary Hazard Statement Code(s)	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)
Hazard Class and Category Code(s), Hazard Statement Code(s)				Pictograms, Signal Word Code(s)	Notes
Flam. Liq. 3 H226, Asp. Tox. 1 H304, Skin Irrit. 2 H315, Skin Sens. 1B H317, Aquatic Acute 1 H400, Aquatic Chronic 3 H412			--	GHS02, GHS07, GHS08, GHS09 - DANGER	--
					Named SEVESO categories
					NO
Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
--	236-757-0	13475-82-6	01-2119490725-29	2,2,4,6,6-pentamethylheptane (INCI: Isododecane)	1.0 < x < 1.2
				Classification	
				Supplementary Hazard Statement Code(s)	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)
Hazard Class and Category Code(s), Hazard Statement Code(s)				Pictograms, Signal Word Code(s)	Notes
Flam. Liq. 3 H226, Asp. Tox. 1 H304, Aquatic Chronic 4 H413			EUH066	GHS02, GHS08 - DANGER	--
					Named SEVESO categories
					NO
Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
--	205-132-4	134-20-3	01-2120478941-44	Methyl anthranilate	1.0 < x < 1.2
				Classification	
				Supplementary Hazard Statement Code(s)	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)
Hazard Class and Category Code(s), Hazard Statement Code(s)				Pictograms, Signal Word Code(s)	Notes
Eye Irrit. 2 H319			--	GHS07 - WARNING	--
					Named SEVESO categories
					NO
Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
--	204-881-4	128-37-0	01-2119565113-46	BHT, 2,6-di-tert-butyl-p-cresol	0.5 < x < 0.7
				Classification	
				Supplementary Hazard Statement Code(s)	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)
Hazard Class and Category Code(s), Hazard Statement Code(s)				Pictograms, Signal Word Code(s)	Notes
Aquatic Chronic 1 H410			--	GHS09 - WARNING	M=1
					Named SEVESO categories
					NO
Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
--	213-191-2	928-95-0	01-2120779737-33	trans-hex-2-en-1-ol/INCI: TRANS-2-HEXENOL	0.2 < x < 0.5
				Classification	
				Supplementary Hazard Statement Code(s)	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)
Hazard Class and Category Code(s), Hazard Statement Code(s)				Pictograms, Signal Word Code(s)	Notes
Skin Corr. 1B H314; Eye Damage 1 H318			--	GHS05 - DANGER	--
					Named SEVESO categories
					NO
Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
--	911-280-7	--	01-211969444-27	Reaction mass of 2-methylbutyl salicylate and pentyl salicylate – Amyl salicylate	0.2 < x < 0.5
				Classification	
				Supplementary Hazard Statement Code(s)	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)
Hazard Class and Category Code(s), Hazard Statement Code(s)				Pictograms, Signal Word Code(s)	Notes
Acute Tox. 4 H302, Aquatic Acute 1 H400, Aquatic Chronic 1 H410			--	GHS07, GHS09 - DANGER	M=1
					Named SEVESO categories
					NO
Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
--	204-116-4	115-95-7	01-2119454789-19	Linalyl acetate	0.15 < x < 0.25
				Classification	
				Supplementary Hazard Statement Code(s)	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)
Hazard Class and Category Code(s), Hazard Statement Code(s)				Pictograms, Signal Word Code(s)	Notes
Skin Irrit. 2 H315, Skin Sens. 1B H317, Eye Irrit. 2 H319			--	GHS07 - WARNING	--
					Named SEVESO categories
					NO
Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
--	204-891-9	128-51-8	--	Nonyl acetate	0.15 < x < 0.25
				Classification	
				Supplementary Hazard Statement Code(s)	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)
Hazard Class and Category Code(s), Hazard Statement Code(s)				Pictograms, Signal Word Code(s)	Notes
Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Chronic 2 H411			--	GHS07, GHS09 - WARNING	--
					Named SEVESO categories
					NO
Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
603-241-00-5	203-377-1	106-24-1	01-2119552430-49	Geraniol / (2E)-3,7-dimethylocta-2,6-dien-1-ol	0.10 < x < 0.15
				Classification	
				Supplementary Hazard Statement Code(s)	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)
Hazard Class and Category Code(s), Hazard Statement Code(s)				Pictograms, Signal Word Code(s)	Notes
Skin Irrit. 2 H315, Skin Sens. 1B H317, Eye Dam. 1 H318			--	GHS05, GHS07 - DANGER	--
					Named SEVESO categories
					NO
Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
--	268-264-1	68039-49-6	--	2,4-dimethylcyclohex-3-ene-1-carbaldehyde/INCI: 2,4-DIMETHYL-3-CYCLOHEXENE CARBOALDEHYDE	0.10 < x < 0.15
				Classification	
				Supplementary Hazard Statement Code(s)	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)
Hazard Class and Category Code(s), Hazard Statement Code(s)				Pictograms, Signal Word Code(s)	Notes
Skin Irrit. 2 H315, Skin Sens. 1 H317, Eye Irrit. 2 H319, Aquatic Chronic 2 H411			--	GHS07, GHS09, DANGER	--
					Named SEVESO categories
					NO

TUSCANY GRAPE

Current revision date: 03/04/2024

Current revision number: 00

Previous revision date: --/--/----

Previous revision number: --

Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
---	245-842-1	23726-91-2	01-212094433-55	Beta Damascone / Trans-Rose-Ketone-2	0.10 < x < 0.13
Hazard Class and Category Code(s), Hazard Statement Code(s)			Classification	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)	Notes
Skin Irrit. 2 H315, Skin Sens. 1A H317, Aquatic Chronic 2 H411			Supplementary Hazard Statement Code(s)	Pictograms, Signal Word Code(s)	
			--	GHS07, GHS09 - WARNING	--
			Named SEVESO categories		NO
Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
---	201-061-8	77-83-8	01-211967770-28	Ethyl methylphenylglycidate / Ethyl 2,3-epoxy-3-phenylbutyrate	0.01 < x < 0.1
Hazard Class and Category Code(s), Hazard Statement Code(s)			Classification	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)	Notes
Skin Sens. 1B H317, Aquatic Chronic 2 H411			Supplementary Hazard Statement Code(s)	Pictograms, Signal Word Code(s)	
			--	GHS07 - WARNING	--
			Named SEVESO categories		NO
Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
--	639-566-4	165184-98-5	01-2119533092-50	Hexyl cinnamal / (2E)-2-(phenylmethylidene)octanal	0.01 < x < 0.1
Hazard Class and Category Code(s), Hazard Statement Code(s)			Classification	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)	Notes
Skin Sens. 1 H317, Aquatic Acute 1 H400, Aquatic Chronic 2 H411			Supplementary Hazard Statement Code(s)	Pictograms, Signal Word Code(s)	
			--	GHS07, GHS09 - WARNING	M=1
			Named SEVESO categories		NO
Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
---	203-378-7	106-25-2	01-211983244-33	Nerol, 3,7-dimethylocta-2,6-dien-1-ol	0.01 < x < 0.1
Hazard Class and Category Code(s), Hazard Statement Code(s)			Classification	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)	Notes
Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin Sens. 1B H317			Supplementary Hazard Statement Code(s)	Pictograms, Signal Word Code(s)	
			--	GHS07 - WARNING	--
			Named SEVESO categories		NO
Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
---	205-459-2	141-12-8	01-2120748334-54	Neryl acetate	0.01 < x < 0.1
Hazard Class and Category Code(s), Hazard Statement Code(s)			Classification	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)	Notes
Skin Sens. 1B H317			Supplementary Hazard Statement Code(s)	Pictograms, Signal Word Code(s)	
			--	GHS07 - WARNING	--
			Named SEVESO categories		NO
Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
---	204-642-4	123-68-2	01-2119983573-26	Allyl caproate / Allyl hexanoate	0.01 < x < 0.1
Hazard Class and Category Code(s), Hazard Statement Code(s)			Classification	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)	Notes
Acute Tox. 3 H301, Acute Tox. 3 H311, Acute Tox. 3 H331, Aquatic Acute 1 H400, Aquatic Chronic 3 H412			Supplementary Hazard Statement Code(s)	Pictograms, Signal Word Code(s)	
			--	GHS06 - GHS09 - DANGER	M=1
			Named SEVESO categories		NO

SECTION 4: First aid measures

4.1 Description of first aid measures

First aid instructions categorized according to relevant routes of exposure. It is advisable for those who provide first aid to wear the personal protective equipment deemed suitable for the conditions in which the intervention is to be carried out.

Inhalation

Given the specificity of the product and the small quantities of substances released, conditions such as to require first aid measures are not foreseen.

Skin

Wash the areas of the body that have come into contact with the product with plenty of soap and water, even if they are only suspected.

Eyes

Given the particular structure of the product, accidental contacts are unpredictable and mainly of traumatic and/or voluntary origin. If necessary, apply fresh compresses and, if the painful phenomena continue, contact the medical staff.

Ingestion

SEEK MEDICAL ATTENTION IMMEDIATELY.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation

They are not known and there are no specific reports on symptoms and effects caused by the product.

Skin

They are not known and there are no specific reports on symptoms and effects caused by the product.

Eyes

Redness.

Ingestion

They are not known and there are no specific reports on symptoms and effects caused by the product.

4.3 Indication of any immediate medical attention and special treatment needed

See section 4.1 Description of first aid measures.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray, CO₂, alcohol resistant foam, chemical powders depending on the materials involved in the fire.

Unsuitable extinguishing media : None in particular

5.2 Special hazards arising from the substance or mixture

During combustion, fumes that are potentially harmful to health may develop. If exposed to flame, it catches fire and continues to burn with a dimly lit flame even if removed from the heat source.

5.3 Advice for firefighters

Use protective clothing for the respiratory tract, eyes and skin. Water spray can be used to disperse vapors and protect people engaged in firefighting. It is also advisable to use self-contained breathing apparatus, especially if you work in closed and poorly ventilated places. Wear the specific protective equipment of the firefighting team. Given the polymeric characteristic of the material, the possible presence of considerable quantities of product in the environments involved in the fire can be a source of risk in causing the re-ignition of the

TUSCANY GRAPE

Current revision date: 03/04/2024

Current revision number: 00

Previous revision date: --/--/----

Previous revision number: --

fire in the presence of oxygen since the internal layers can conserve heat. It is therefore necessary, in the event of a fire in environments where large quantities of product have been involved, to dissipate the heat retained inside.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : Move away from the area surrounding the spill or release. Not smoking.

For emergency responders : General information: No smoking. Use suitable personal protective equipment, see Section 8.

6.2 Environmental precautions

Contain leaks with inert material. Avoid dispersion and/or washout in sewers and surface waters. Dispose of the residue according to current regulations.

6.3 Methods and material for containment and cleaning up

6.3.1 Appropriate advice shall be provided on how to contain a spill

Keep dry.

6.3.2 Appropriate advice shall be provided on how to clean-up a spill

After collection, wash the affected area and materials with plenty of water and recover the resulting fluids.

6.3.3 Any other information shall be provided relating to spills and releases, including advice on inappropriate containment or clean-up techniques

Hand over waste only to specialized companies

6.4 Reference to other sections

Refer to sections 8 and 13 for more information

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Normal precautions for handling sensitizing chemical products, protecting themselves from any accidental contact. Do not smoke, eat or drink while handling.

7.2 Conditions for safe storage, including any incompatibilities

How to manage risks associated with:

i)	explosive atmospheres	Nothing to report
ii)	corrosive conditions	Nothing to report
iii)	flammability hazards	Nothing to report
iv)	incompatible substances or mixtures	Avoid contact with solvents which could damage the product.
v)	evaporative conditions	Keep in the original packaging, in well-ventilated areas at room temperature.
vi)	potential ignition sources (including electrical equipment)	Keep away from open flames, sparks and sources of ignition in general. Appropriate maintenance of all the electrical components of machines, systems and electrical installations in general can give a sufficient guarantee of reducing the risk of fire.

How to control the effects of:

i)	weather conditions	Store indoors in dry environments.
ii)	ambient pressure	Nothing to report
iii)	Temperature	Store at room temperature
iv)	sunlight	Do not store in direct sunlight.
v)	humidity	Keep away from humidity.
vi)	Vibration	Nothing to report

How to maintain the integrity of the substance or mixture by the use of:

i)	stabilisers	Nothing to report
ii)	antioxidants	Nothing to report

Other advice including

i)	ventilation requirements	Keep in cool and ventilated places.
ii)	specific designs for storage rooms or vessels (including retention walls and ventilation)	Nothing to report
iii)	quantity limits under storage conditions (if relevant)	Keep in cool and ventilated places.
iv)	packaging compatibilities	Nothing to report
v)	Storage class	CS 11/13

7.3 Specific end use(s)

Consumer: Follow the instructions given on the label/box/information leaflets.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Related to the substances contained

Substance: Linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool

CAS: 78-70-6

GESTIS International Limit Values

	Limit value - Eight hours		Limit value - Short term	
	ppm	mg/m ³	ppm	mg/m ³
	--	--	--	--
Remarks				

<https://echa.europa.eu/it/registration-dossier/-/registered-dossier/14501>

	DNEL (Workers)				DNEL (Population)				
	Systemic		Local		Systemic		Local		
	Long term	Short term	Long term	Short term		Long term	Short term	Long term	Short term
Inhalation	24.58 mg/m ³	No hazard identified	Low hazard (no threshold derived)		Inhalation	4.33 mg/m ³	No hazard identified	Low hazard (no threshold derived)	
Dermal	3.5 mg/kg bw/day	No hazard identified	3 mg/cm ²		Dermal	1.25 mg/kg bw/day	No hazard identified	1.5 mg/cm ²	
Oral	Not available		Not available		Oral	2.49 mg/kg bw/day	No hazard identified	Not available	
Eyes	Not available		Low hazard (no threshold derived)		Eyes	Not available		Low hazard (no threshold derived)	

MATERIAL SAFETY DATA SHEET

MIO

TUSCANY GRAPE

Current revision date: 03/04/2024

Current revision number: 00

Previous revision date: --/--/----

Previous revision number: --

PNEC

Freshwater	0.2 mg/L	Intermittent	2 mg/L	Marine water	0.02 mg/L
STP	10 mg/L	Sediment (freshwater)	2.22 mg/kg sediment dw	Sediment (marine water)	0.222 mg/kg sediment dw
Air	No available	Soil	0.327 mg/kg soil dw	Hazard for predators	7.8 mg/kg food

Substance: d-limonene / (R)-p-mentha-1,8-diene

CAS: 5989-27-5

GESTIS International Limit Values

		Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m ³	ppm	mg/m ³
Finland		25	140	50 (1)	280 (1)
Germany (AGS)	5 (1)		28 (1)	20 (1)(2)	110 (1)(2)
Germany (DFG)	5 (1)		28 (1)	20 (1)(2)	112 (1)(2)
Norway	25		140	--	--
Spain	30 (1)		168 (1)	--	--
Switzerland	7		40	14 (1)	80 (1)

Remarks

Finland	(1) 15 minutes average value
Germany (AGS)	(1) Skin (2) 15 minutes average value
Germany (DFG)	(1) Skin (2) 15 minutes average value
Spain	(1) Skin
Switzerland	(1) 15 minutes average value

<https://echa.europa.eu/it/registration-dossier/-/registered-dossier/15256>

DNEL (Workers)

Systemic

Local

DNEL (Population)

Systemic

Local

	Long term	Short term	Long term	Short term		Long term	Short term	Long term	Short term
Inhalation	66.7 mg/m ³	No hazard identified	No hazard identified	No hazard identified	Inhalation	16.6 mg/m ³	No hazard identified	No hazard identified	No hazard identified
Dermal	9.5 mg/kg bw/day	No hazard identified	Medium hazard (no threshold derived)	Medium hazard (no threshold derived)	Dermal	4.8 mg/kg bw/day	No hazard identified	No hazard identified	No hazard identified
Oral	Not available		Not available	Not available	Oral	4.8 mg/kg bw/day	Not available	Not available	Not available
Eyes	Not available		No hazard identified	No hazard identified	Eyes	Not available	Not available	No hazard identified	No hazard identified

PNEC

Freshwater	14 µg/L	Intermittent	Not available	Marine water	1.4 µg/L
STP	1,8 mg/L	Sediment (freshwater)	3.85 mg/kg sediment dw	Sediment (marine water)	0.385 mg/kg sediment dw
Air	No hazard identified	Soil	0.763 mg/kg soil dw	Hazard for predators	133 mg/kg food

Substance: 2,2,4,6,6-pentamethylheptane (INCI: Isododecane)

CAS: 13475-82-6

GESTIS International Limit Values

		Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m ³	ppm	mg/m ³
		--	--	--	--

Remarks

--

<https://echa.europa.eu/it/registration-dossier/-/registered-dossier/2110>

DNEL (Workers)

Systemic

Local

DNEL (Population)

Systemic

Local

	Long term	Short term	Long term	Short term		Long term	Short term	Long term	Short term
Inhalation	No hazard identified		No hazard identified	No hazard identified	Inhalation	No hazard identified	No hazard identified	No hazard identified	No hazard identified
Dermal	No hazard identified		No hazard identified	No hazard identified	Dermal	No hazard identified	No hazard identified	No hazard identified	No hazard identified
Oral	Not available		Not available	Not available	Oral	No hazard identified	No hazard identified	Not available	Not available
Eyes	Not available		No hazard identified	No hazard identified	Eyes	Not available	Not available	No hazard identified	No hazard identified

PNEC

Freshwater	No data available: testing technically not feasible	Intermittent	No data available: testing technically not feasible	Marine water	No data available: testing technically not feasible
STP	No data available: testing technically not feasible	Sediment (freshwater)	No data available: testing technically not feasible	Sediment (marine water)	No data available: testing technically not feasible
Air	No hazard identified	Soil	No data available: testing technically not feasible	Hazard for predators	No data available: testing technically not feasible

Substance: Methyl anthranilate

CAS: 134-20-3

GESTIS International Limit Values

		Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m ³	ppm	mg/m ³
		--	--	--	--

Remarks

--

Link DNEL value: <https://echa.europa.eu/it/registration-dossier/-/registered-dossier/19558>

DNEL (Workers)

Systemic

Local

DNEL (Population)

Systemic

Local

	Long term	Short term	Long term	Short term		Long term	Short term	Long term	Short term
Inhalation	49.3 mg/m ³	No hazard identified	No hazard identified	No hazard identified	Inhalation	8.7 mg/m ³	No hazard identified	No hazard identified	No hazard identified
Dermal	14 mg/kg bw/day	No hazard identified	No hazard identified	No hazard identified	Dermal	5 mg/kg bw/day	No hazard identified	No hazard identified	No hazard identified
Oral	Not available		Not available	Not available	Oral	5 mg/kg bw/day	No hazard identified	No available	No available
Eyes	Not available		No hazard identified	No hazard identified	Eyes	Not available	Not available	No hazard identified	No hazard identified

PNEC

Freshwater	87.2 µg/L	Intermittent	0.185 mg/L	Marine water	8.72 µg/L
STP	No hazard identified	Sediment (freshwater)	0.968 mg/kg sediment dw	Sediment (marine water)	96.8 µg/kg sediment dw
Air	No hazard identified	Soil	0.142 mg/kg soil dw	Hazard for predators	no potential for bioaccumulation

TUSCANY GRAPE

Current revision date: 03/04/2024

Current revision number: 00

Previous revision date: --/--/----

Previous revision number: --

Substance: BHT

CAS: 128-37-0

GESTIS International Limit Values

	Limit value - Eight hours		Limit value - Short term	
	ppm	mg/m ³	ppm	mg/m ³
Australia	--	10	--	--
Austria	--	10	--	--
Belgium	--	2 (1)	--	--
Canada - Ontario	--	2 (1)	--	--
Canada - Québec	--	2 (1)	--	--
Denmark	--	10	--	20
Finland	--	10	--	20 (1)
France	--	10	--	--
Germany (AGS)	--	10 (1)	--	40 (1)(2)
Germany (DFG)	--	10 (1)	--	40 (1)(2)
Ireland	--	2	--	--
New Zealand	--	10	--	--
Singapore	--	10	--	--
South Africa Mining	--	10	--	--
South Korea	--	2 (1)	--	--
Spain	--	10	--	--
Switzerland	--	10 inhalable aerosol	--	--
USA - NIOSH	--	10	--	--
United Kingdom	--	10	--	--

Remarks

Belgium	(1) Inhalable fraction and vapour
Canada - Ontario	(1) Inhalable aerosol and vapour
Canada - Québec	(1) Inhalable fraction and vapour
Finland	(1) 15 minutes average value
Germany (AGS)	(1) Inhalable aerosol and vapour (2) 15 minutes reference period
Germany (DFG)	(1) Inhalable fraction and vapour (2) 15 minutes average value
South Korea	(1) Inhalable fraction

<https://echa.europa.eu/it/registration-dossier/-/registered-dossier/15975>

DNEL (Workers)

	Systemic		Local		DNEL (Population)				
	Long term	Short term	Long term	Short term	Long term	Systemic	Short term	Long term	Local
Inhalation	1.76 mg/m ³	Hazard unknown but no further hazard information necessary as no exposure expected	Hazard unknown but no further hazard information necessary as no exposure expected		Inhalation	0.435 mg/m ³	Hazard unknown but no further hazard information necessary as no exposure expected	Hazard unknown but no further hazard information necessary as no exposure expected	
Dermal	0.5 mg/kg bw/day	No hazard identified	No hazard identified		Dermal	0.25 mg/kg bw/day	No hazard identified	No hazard identified	
Oral	Not available		Not available		Oral	0.25 mg/kg bw/day	No hazard identified	Not available	
Eyes	Not available		No hazard identified		Eyes	Not available		No hazard identified	

PNEC

Freshwater	0.199 µg/L	Intermittent	1.99 µg/L	Marine water	0.02 µg/L
STP	0.017 mg/L	Sediment (freshwater)	0.458 mg/kg sediment dw	Sediment (marine water)	0.046 mg/kg sediment dw
Air	No hazard identified	Soil	0.054 mg/kg soil dw	Hazard for predators	16.67 mg/kg food

Substance: Reaction mass of 2-methylbutyl salicylate and pentyl salicylate – Amyl salicylate

CAS: EC: 911-280-7

GESTIS International Limit Values

	Limit value - Eight hours		Limit value - Short term	
	ppm	mg/m ³	ppm	mg/m ³
	Remarks			
--	--	--	--	--

[Link: https://echa.europa.eu/it/registration-dossier/-/registered-dossier/15815](https://echa.europa.eu/it/registration-dossier/-/registered-dossier/15815)

DNEL (Workers)

	Systemic		Local		DNEL (Population)				
	Long term	Short term	Long term	Short term	Long term	Systemic	Short term	Long term	Local
Inhalation	5.97 mg/m ³	141.05 mg/m ³	No hazard identified		Inhalation	1.05 mg/m ³	34.78 mg/kg bw/day	No hazard identified	
Dermal	1.69 mg/kg bw/day	No hazard identified	No hazard identified		Dermal	0.605 mg/kg bw/day	20 mg/kg bw/day	No hazard identified	
Oral	Not available		Not available		Oral	0.605 mg/kg bw/day	No hazard identified	Not available	
Eyes	Not available		No hazard identified		Eyes	Not available		No hazard identified	

PNEC

Freshwater	2.44 µg/L	Intermittent	7.7 µg/L	Marine water	0.244 µg/L
STP	10 mg/L	Sediment (freshwater)	1.23 mg/kg sediment dw	Sediment (marine water)	0.123 mg/kg sediment dw
Air	No hazard identified	Soil	5.33 mg/kg soil dw	Hazard for predators	40.33 mg/kg food

Substance: Linalyl acetate

CAS: 115-95-7

GESTIS International Limit Values

	Limit value - Eight hours		Limit value - Short term	
	ppm	mg/m ³	ppm	mg/m ³
	Remarks			
--	--	--	--	--

[Link: https://echa.europa.eu/it/registration-dossier/-/registered-dossier/14484](https://echa.europa.eu/it/registration-dossier/-/registered-dossier/14484)

MATERIAL SAFETY DATA SHEET

MIO

TUSCANY GRAPE

Current revision date: 03/04/2024

Current revision number: 00

Previous revision date: --/--/----

Previous revision number: --

DNEL (Workers)

DNEL (Population)

	Systemic					Systemic			
	Long term	Short term	Long term	Short term		Inhalation	Long term	Short term	Long term
Inhalation	2.75 mg/m ³	No hazard identified		No hazard identified			0.68 mg/m ³	No hazard identified	No hazard identified
Dermal	2.5 mg/kg bw/day	No hazard identified		236.2 µg/cm ²		Dermal	1.25 mg/kg bw/day	No hazard identified	236.2 µg/cm ²
Oral		Not available		Not available		Oral	0.2 mg/kg bw/day	No hazard identified	Not available
Eyes		Not available		Low hazard (no threshold derived)		Eyes		Not available	Low hazard (no threshold derived)

PNEC

Freshwater	0.011 mg/L		Intermittent	0.11 mg/L		Marine water	0.001 mg/L
STP	1 mg/L		Sediment (freshwater)	0.609 mg/kg sediment dw		Sediment (marine water)	0.061 mg/kg sediment dw
Air	No hazard identified		Soil	0.115 mg/kg soil dw		Hazard for predators	No potential for bioaccumulation

Substance: Geraniol / (2E)-3,7-dimethylocta-2,6-dien-1-ol

CAS: 106-24-1

GESTIS International Limit Values

	Limit value - Eight hours				Limit value - Short term			
	ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³
Remarks								
--								

Link ECHA: <https://echa.europa.eu/it/registration-dossier/-/registered-dossier/14184>

DNEL (Workers)

DNEL (Population)

	Systemic					Systemic			
	Long term	Short term	Long term	Short term		Inhalation	Long term	Short term	Long term
Inhalation	11.83 mg/m ³	No hazard identified		No hazard identified			3.5 mg/m ³	No hazard identified	No hazard identified
Dermal	4.2 mg/kg bw/day	No hazard identified	11 800 µg/cm ²	Medium hazard (no threshold derived)		Dermal	2.5 mg/kg bw/day	No hazard identified	1180 µg/cm ²
Oral		Not available		Not available		Oral	2 mg/kg bw/day	No hazard identified	Not available
Eyes		Not available		Medium hazard (no threshold derived)		Eyes		Not available	Medium hazard (no threshold derived)

PNEC

Freshwater	0.011 mg/L		Intermittent	0.108 mg/L		Marine water	0.001 mg/L
STP	0.7 mg/L		Sediment (freshwater)	0.115 mg/kg sediment dw		Sediment (marine water)	0.011 mg/kg sediment dw
Air	No hazard identified		Soil	0.017 mg/kg soil dw		Hazard for predators	No potential to cause toxic effects if accumulated (in higher organisms) via the food chain

Substance: Ethyl methylphenylglycidate / Ethyl 2,3-epoxy-3-phenylbutyrate

CAS: 77-83-8

GESTIS International Limit Values

	Limit value - Eight hours				Limit value - Short term			
	ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³
Remarks								
--								

Link DNEL value <https://echa.europa.eu/it/registration-dossier/-/registered-dossier/12589>

DNEL (Workers)

DNEL (Population)

	Systemic					Systemic			
	Long term	Short term	Long term	Short term		Inhalation	Long term	Short term	Long term
Inhalation	17.63 mg/m ³	35.26 mg/m ³	44.08 mg/m ³	88.16 mg/m ³			2.17 mg/m ³	8.7 mg/m ³	5.43 mg/m ³
Dermal	5 mg/kg bw/day	10 mg/kg bw/day	12.5 mg/cm ²	25 mg/cm ²		Dermal	1.25 mg/kg bw/day	5 mg/kg bw/day	3.13 mg/cm ²
Oral		Not available		Not available		Oral	1.25 mg/kg bw/day	5 mg/kg bw/day	Not available
Eyes		Not available		No hazard identified		Eyes		Not available	No hazard identified

PNEC

Freshwater	0.008 mg/L		Intermittent	0.084 mg/L		Marine water	8.4 µg/L
STP	10 mg/L		Sediment (freshwater)	0.214 mg/kg sediment dw		Sediment (marine water)	0.021 mg/kg sediment dw
Air	No hazard identified		Soil	0.038 mg/kg soil dw		Hazard for predators	23.3 mg/kg food

Substance: Hexyl cinnamal / (2E)-2-(phenylmethylidene)octanal

CAS: 165184-98-5

GESTIS International Limit Values

	Limit value - Eight hours				Limit value - Short term			
	ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³
Remarks								
--								

<https://echa.europa.eu/it/registration-dossier/-/registered-dossier/15843>

DNEL (Workers)

DNEL (Population)

	Systemic					Systemic			
	Long term	Short term	Long term	Short term		Inhalation	Long term	Short term	Long term
Inhalation	0.078 mg/m ³	Not available	Not available	6.28 mg/m ³			0.019 mg/m ³	Not available	Not available
Dermal	18.2 mg/kg bw/day	Not available		525 µg/cm ²		Dermal	9.11 mg/kg bw/day	Not available	78.7 µg/cm ²
Oral		Not available		Not available		Oral	0.056 mg/kg bw/day	Not available	Not available
Eyes		Not available		Not available		Eyes		Not available	Not available

PNEC

Freshwater	0,001 mg/L		Intermittent	0,002 mg/L		Marine water	0,0 mg/L
STP	10 mg/L		Sediment (freshwater)	3,2 mg/kg sediment		Sediment (marine water)	0,064 mg/kg sediment
Air	No hazard identified		Soil	0,398 mg/kg soil		Hazard for predators	6,6 g/kg food

TUSCANY GRAPE

Current revision date: 03/04/2024

Current revision number: 00

Previous revision date: --/--/----

Previous revision number: --

Substance:	Nerol, 3,7-dimethylocta-2,6-dien-1-ol						
CAS:	106-25-2						
GESTIS International Limit Values							
		Limit value - Eight hours			Limit value - Short term		
		ppm	mg/m ³		ppm	mg/m ³	
		--	--		--	--	
	Remarks						
		--	--		--	--	

Link DNEL value	https://echa.europa.eu/it/registration-dossier/-/registered-dossier/10345						
DNEL (Workers)							
	Systemic		Local			Systemic	
	Long term	Short term	Long term	Short term		Long term	Short term
Inhalation	4.4 mg/m ³	No hazard identified	No hazard identified		Inhalation	1.09 mg/m ³	No hazard identified
Dermal	1.25 mg/kg bw/day	No hazard identified	Medium hazard (no threshold derived)		Dermal	0.62 mg/kg bw/day	No hazard identified
Oral	Not available		Not available		Oral	0.62 mg/kg bw/day	No hazard identified
Eyes	Not available		Low hazard (no threshold derived)		Eyes	Not available	
PNEC							
Freshwater	7.45 µg/L		Intermittent		74.5 µg/L	Marine water	
STP	12.9 mg/L		Sediment (freshwater)		133 µg/kg sediment dw	Sediment (marine water)	
Air	No hazard identified		Soil		22.3 µg/kg soil dw	Hazard for predators	

Substance:	Neryl acetate						
CAS:	141-12-8						
GESTIS International Limit Values							
	Limit value - Eight hours						
	ppm	mg/m ³	ppm	mg/m ³		Limit value - Short term	
	--	--	--	--		--	
	Remarks						
	--	--	--	--		--	

Link DNEL value	https://echa.europa.eu/it/registration-dossier/-/registered-dossier/21334						
DNEL (Workers)							
	Systemic		Local			Systemic	
	Long term	Short term	Long term	Short term		Long term	Short term
Inhalation	7.24 mg/m ³	No hazard identified	No hazard identified		Inhalation	1.09 mg/m ³	No hazard identified
Dermal	2.05 mg/kg bw/day	No hazard identified	Medium hazard (no threshold derived)		Dermal	0.733 mg/kg bw/day	No hazard identified
Oral	Not available		Not available		Oral	0.733 mg/kg bw/day	No hazard identified
Eyes	Not available		No hazard identified		Eyes	Not available	
PNEC							
Freshwater	4.9 µg/L		Intermittent		49 µg/L	Marine water	
STP	100 mg/L		Sediment (freshwater)		0.455 mg/kg sediment dw	Sediment (marine water)	
Air	No hazard identified		Soil		0.088 mg/kg soil dw	Hazard for predators	

Substance:	Allyl caproate / Allyl hexanoate						
CAS:	123-68-2						
GESTIS International Limit Values							
	Limit value - Eight hours						
	ppm	mg/m ³	ppm	mg/m ³		Limit value - Short term	
	--	--	--	--		--	
	Remarks						
	--	--	--	--		--	

Link DNEL value	https://echa.europa.eu/it/registration-dossier/-/registered-dossier/12389						
DNEL (Workers)							
	Systemic		Local			Systemic	
	Long term	Short term	Long term	Short term		Long term	Short term
Inhalation	15 mg/m ³	Low hazard (no threshold derived)	No hazard identified		Inhalation	3.7 mg/m ³	Medium hazard (no threshold derived)
Dermal	4.3 mg/kg bw/day	Medium hazard (no threshold derived)	No hazard identified		Dermal	2.1 mg/kg bw/day	Medium hazard (no threshold derived)
Oral	Not available		Not available		Oral	2.1 mg/kg bw/day	Medium hazard (no threshold derived)
Eyes	Not available		No hazard identified		Eyes	Not available	
PNEC							
Freshwater	0.117 µg/L		Intermittent		1.17 µg/L	Marine water	
STP	10 mg/L		Sediment (freshwater)		4.46 µg/kg sediment dw	Sediment (marine water)	
Air	No hazard identified		Soil		0.825 µg/kg soil dw	Hazard for predators	

8.2 Exposure controls

8.2.1 Appropriate engineering controls
If, following the risk assessment and the adoption of preventive technical and/or organizational collective protection measures, it appears that there is still a residual risk for the worker, it is necessary to equip the worker with Personal Protective Equipment. In any company, however, the instructions given by the Head of the Prevention and Protection Service must be complied with, who will have assessed the risk deriving from all the products used in each working phase. Before choosing the PPE to wear, it is essential to know the risks associated with the work environment, the environmental conditions, the job of the wearer and after having consulted the instructions provided by the manufacturer. All PPE belonging to the third category must be delivered to operators only after adequate training.
The use of this mixture does not imply the application of Directive 2004/37 / EC on the protection of workers against the risks deriving from exposure to carcinogens or mutagens at work.
Descriptor for Process categories: PROC19 - Manual activities involving hand contact

8.2.2 Individual protection measures, such as personal protective equipment
The information below must be considered only as an aid to the Head of the Prevention and Protection Service as in addition to this mixture he will have to implement the choices on PPE also in consideration of the other chemical products present in the company used in each specific working phase.

TUSCANY GRAPE

Current revision date: 03/04/2024

Current revision number: 00

Previous revision date: --/--/----

Previous revision number: --

a) EYE/FACE PROTECTION

PITTOGRAM	PPE	METHOD OF CHOOSING THE PPE					
		RISK CHARACTERISTICS	PROTECTION				
Eye and face protection devices	PPE for the eyes are second category and must be provided with indelible CE marking and the number of the Notified Body that issued the certification. Their use is foreseen in all places where there is a risk of projections of solid bodies, liquids or optical radiation. For eyeglass wearers, it is possible to use over glasses if the duration of use is limited or to mount graduated lenses on safety frames. Operators wearing contact lenses must make their condition known in order to make it easier, if necessary, to remove them by first aid workers in case of need in an emergency. Standard EN166 Personal eye protection - Specifications		Frontal sketches	Good	Good	Excellent	
			Side sketches	Scarso	Good	Excellent	
			Frontal splinters	Excellent	Good	Excellent if of adequate thickness	
			Side impacts	Scant	Fairly good	Excellent	
			Neck and face protection	Scant	Scant	Fairly good	
			Wearability	Good / Very good	Good	Fairly good	
			Continuous use	Very good	Very good	Fairly good	
			Acceptability for use	Very good	Good	Fairly good	

The Head of the Prevention and Protection Service will assess the need to provide eyewash devices near the areas where the mixture is used.

IN NORMAL USE THERE ARE NO PERSONAL PROTECTIVE EQUIPMENT PROVIDED

b) SKIN PROTECTION

i) Hand protection

PITTOGRAM	PPE	METHOD OF CHOOSING THE PPE				
		CHEMICAL PROTECTION				
Gloves	The choice of gloves depends on the worker's job, the characteristics of the glove and its biocompatibility. The "grip" must always be guaranteed. The general requirements for choosing the most suitable PPE are: harmlessness, ergonomics / comfort, dexterity, transmission and absorption of water vapor and cleaning. Regarding these requirements, the reference technical standard is UNI EN 420 - Protective gloves. General requirements and test methods. Gloves that protect against chemicals are regulated by EN374 - Protective gloves against chemicals and microorganisms. The basic requirements for this type of gloves are: penetration and permeation. Chemical protective gloves are divided into three categories: Type A, B and C; the belonging to which depends on the number of chemicals tested, from a list of 18 substances that have reached a defined permeation time. Gloves must be checked before use. The choice of gloves based on resistance must be made following the UNI EN 16523 standard - Determination of the resistance of materials to the permeation of chemical products. Use proper technique to remove gloves avoiding skin contact with the contaminated outer surface of the glove. After use, wash and dry your hands.	Type	Level	Time	Substances	
		A	2	30 minutes	minimum 6	
		B	2	30 minutes	minimum 3	
		C	1	10 minutes	minimum 1	
		MATERIALS FOR PROTECTION FROM CHEMICAL AGENTS				
		Highlights	LATEX	NEOPRENE	NITRILE	PVC
			Excellent flexibility and tear resistance	Polyvalent chemical resistance: acids, aliphatic solvents. Good resistance to sunlight and ozone.	Excellent resistance to abrasion and perforation. Excellent resistance to hydrocarbon derivatives	Good resistance to acids and bases
		Precautions	It can cause allergic reactions. Avoid contact with fatty oils and hydrocarbon derivatives.	Avoid contact with fatty oils and hydrocarbon derivatives	Avoid contact with solvents containing ketones and oxidizing acids, organic nitrogen products.	Weak mechanical resistance. Avoid contact with solvents containing ketones and aromatic solvents

The Head of the Prevention and Protection Service will evaluate the choice of PPE to be used based on the duties.

USE WATERPROOF GLOVES

ii) other

PITTOGRAM	PPE	METHOD OF CHOOSING THE PPE				
		DANGER	Full coverage garment		Partial coverage garment	
Work clothing	PPE for the body can be of different categories depending on their specific use. Under normal working conditions, normal work clothing offers characteristics that provide sufficient protection for workers. In activities presenting particular risks, specific "protective clothing" should be used which covers or replaces personal clothing and which is designed with specific protective characteristics. The basic requirements relating to the ergonomics and health of PPE for the body are: harmlessness of the materials, comfort and effectiveness factors, design, thermal resistance of the clothing and the characteristics of the operators. Please note that to ensure adequacy and mobility with full-coverage protective clothing, it is recommended that all operators carry out the "seven movements" test. Standard EN 13688 Protective clothing - General requirements		Waterproof	Permeable to air	Waterproof	Permeable to air
	Gas and fumes	A	NO	NO	NO	
	Jets of liquids	A	NO	P	NO	
	Splashes and splashes	A	P	P	P	
	Dust	A	A	P	P	
	Dirt	A	A	A	A	

NO: Indicates that the possibility is not compatible - A: suitable combination - P: combination that depends on external conditions

The protective clothing against chemicals, depending on the barrier performance of the raw material used and the packaging of the garment, have different types of protection: Type 1 (gas-tight), Type 2 (non-watertight gas), Type 3 (liquid tight), Type 4 (splash tight), Type 5 (dust tight), Type 6 (limited liquid splash tight). The chemical risks are many and it is therefore necessary to choose the most appropriate garment, also considering that the materials can be both waterproof and permeable, evaluating the combination between the type of protection offered by the construction techniques and the design adopted for the realization of the garment, itself and the performance class from the raw material.

If the Head of the Prevention and Protection Service deems it necessary, protective clothing can be worn in combination with an appropriate respiratory protection device and with boots, gloves or other means of protection.

NO PERSONAL PROTECTIVE EQUIPMENT IS REQUIRED IN NORMAL USE

c) RESPIRATORY PROTECTION

PITTOGRAM	PPE	METHOD OF CHOOSING THE PPE				
		DUST FILTERS				
RPD (Respiratory protective devices)	PPE for respiratory protection are of the third category and must be provided with CE marking, the number of the Notified Body that issued the certification and must be provided only after information, training and specific training on their use. To define the type of RPD to use, pay attention to the oxygen rate present in the workplace, using the O ₂ concentration of 17% as a limit. Carefully define the type of contaminant (Gas, steam / Dust, particles, viruses), its detection threshold and its use or not in a confined space. The UNI EN 529 standard (Respiratory protection devices - Recommendations for selection, use, care and maintenance - Guidance document) establishing the appropriate FPO value "operational protection factor" (eg use of face masks as per standard UNI EN149 - Respiratory	Efficiency	Dust class	RPD class and marking	Minimum total filtering efficiency	Protection
		LOW	Filters P1	Respirators FFP1	78%	Powders/Harmful aerosol
		AVERAGE	Filters P2	Respirators FFP2	92%	Powders/fumes/ low toxicity aerosol
		HIGH	Filters P3	Respirators FFP3	98%	Powders/fumes / Harmful aerosol

GAS FILTERS

Capacity	Class	Maximum concentration
Low	1	Gas / vapor concentrations up to 1000 ppm

TUSCANY GRAPE

Current revision date: 03/04/2024

Current revision number: 00

Previous revision date: --/--/----

Previous revision number: --

protective devices - Filtering half mask against particles) can be a valid aid in determining the most correct PPE.

Average	2	Gas / vapor concentrations up to 5000 ppm
High	3	Gas / vapor concentrations up to 10000 ppm

TYPE OF FILTERS

Type	Protection	Filter color
A	Organic gases and vapors with a boiling point > 65 °C	BROWN
B	Inorganic gases and vapors	GREY
E	Acid gases	YELLOW
K	Ammonia and derivatives	GREEN
P	Toxic dusts, fumes, mists	WHITE
AX (EN371)	Low boiling point organic gases and vapors < 65 °C	BROWN

FACTORS TO CONSIDER

REASON

DUST FILTER RESPIRATORS

Type of substance	Reason	Filter respirator	FPN	FPO
Concentrations Visibility	Need / opportunity to protect other parts of the face (eyes - face)	Facial Filter FFP1 - Half mask + P1	4	4
	Filter capacity in relation to exposure time	Facial Filter FFP2 - Half mask + P2		12
	Reduction of protection	Facial Filter FFP3 - Half mask + P3		50
Freedom of movement	Reduction of weight and discomfort	Full face + P1	5	4
Facial anatomy	Mask adequacy	Full face + P2	20	15
Environmental conditions		Full face + P3	1000	400

The Head of the Prevention and Protection Service, as well as correctly defining the specific PPE for the activities, must pay attention to follow the instructions provided by the manufacturers of the various PPE.

NO PERSONAL PROTECTIVE EQUIPMENT IS REQUIRED IN NORMAL USE

d) THERMAL HAZARDS

PITTOGRAM	PPE	OBSERVATIONS
 Hot/Cold	The indications provided in this section define the PPE intended to protect against possible temperature variations that the mixture causes or that the mixture itself may undergo during normal working activities. PPE must protect against excesses in external temperature by maintaining body temperature, thermally insulate while maintaining permeability to water and air to ensure sweating and moisture removal, respectively, so as not to cause heat loss. In order to protect themselves from the cold, PPE must retain a degree of flexibility that allows the operator to perform the necessary actions and to assume certain positions. PPE intended for short-term interventions or likely to receive projections of hot products, must have a calorific capacity sufficient to return most of the stored heat only after the user has removed them.	PPE intended to protect against thermal differences must have an adequate heat flow transmission coefficient to avoid any risk of damage as required by the foreseeable conditions of use. The heat flow transmitted to the operator during the use of PPE must be such that its accumulation does not in any case reach the pain threshold or the one in which any harmful effect on health occurs. PPE must prevent, as far as possible, the penetration of liquids and must not cause injury caused by contact between their protective coating and the operator.

The choice of this type of PPE must be made by guaranteeing thermal insulation power and mechanical and chemical resistance adequate to the foreseeable conditions of use that the Head of the Prevention and Protection Service deems necessary.

THE MIXTURE IS NOT EXPECTED TO CAUSE OR UNDERTAKE SUGNIFICANT TEMPERATURE CHANGES DURING THE INTENDED USE.

8.2.3 Environmental exposure controls

Prevent uncontrolled release into the environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

The physical and chemical properties listed below are not to be considered technical specifications. The reference specifications are shown in the technical documentation.

Physical and chemical properties	Value	Notes or analytical method
a) Physical state	Solid	As defined in Annex I, section 1.0 of Reg. 1272/2008
b) Colour	Various colours	--
c) Odour	Characteristic of the fragrance	--
d) Melting point/freezing point	Not determined	--
e) Boiling point or initial boiling point and boiling range	Not determined	--
f) Flammability	NO	Applicable to gases, liquids and solids
g) Lower and upper explosion limit	Not applicable	Not applicable to solids
h) Flash point	Not applicable	Does not apply to gases, aerosols and solids
i) Auto-ignition temperature	Not applicable	Only applicable to gases and liquids
j) Decomposition temperature	Not applicable	Only applicable to self-reactive substances and mixtures, organic peroxides and other substances and mixtures which may decompose.
k) pH	Not applicable	The mixture is not soluble in water
l) Kinematic viscosity	Not applicable	Applies to liquids only
m) Solubility	Insoluble in water, partially soluble in alcohol	--
n) Partition coefficient n-octanol/water (log value)	Not applicable	It does not apply to inorganic and ionic liquids and, as a rule, does not apply to mixtures
o) Vapour pressure	Not determined	According to the REACH regulation, the study must not be conducted if the melting point is above 300°C (Annex VII, column 2 adaptation).
p) Density and/or relative density	Not applicable	only applies to liquids and solids.
q) Relative vapour density	Not applicable	only applies to gases and liquids.
r) Particle characteristics	Not relevant. Non-particulate blend	applies only to solids

9.2 Other information

- a) Explosives: Not applicable
- b) Flammable gases: Not applicable
- c) Aerosols: Not applicable
- d) Oxidising gases: Not applicable
- e) Gases under pressure: Not applicable
- f) Flammable liquids: Not applicable
- g) Flammable solids: Not applicable
- h) Self-reactive substances and mixtures: Not applicable
- i) Pyrophoric liquids: Not applicable
- j) Pyrophoric solids: Not applicable
- k) Self-heating substances and mixtures: Not applicable

TUSCANY GRAPE

Current revision date: 03/04/2024

Current revision number: 00

Previous revision date: --/--/----

Previous revision number: --

- l) Substances and mixtures, which emit flammable gases in contact with water: Not applicable
- m) Oxidising liquids: Not applicable
- n) Oxidizing solids: Not applicable
- o) Organic peroxides: Not applicable
- p) Corrosive to metals: Not applicable
- q) Desensitised explosives: Not applicable

9.2.2 Other safety characteristics

- a) mechanical sensitivity : Not applicable
- b) self-accelerating polymerisation temperature : Not applicable
- c) formation of explosive dust/air mixtures : Not applicable
- d) acid/alkaline reserve : Not applicable
- e) evaporation rate : Non applicable
- f) miscibility : Not miscible with water
- g) conductivity : Not applicable
- h) corrosiveness : Not applicable
- i) gas group : Not applicable
- j) redox potential : Not applicable
- k) radical formation potential : Not applicable
- l) photocatalytic properties : Not applicable

Other physical and chemical parameters:

COV (Directive 2010/75 / EC) : not available

SECTION 10: Stability and reactivity**10.1 Reactivity**

Stable under normal conditions of use and storage.

10.2 Chemical stability

Stable under normal conditions of use and storage.

10.3 Possibility of hazardous reactions

None known under normal conditions of use.

10.4 Conditions to avoid

- a) Temperature : do not subject to direct heating
- b) Pressure : nothing to report
- c) Light : nothing to report
- d) Static discharge : nothing to report
- e) Vibrations : nothing to report
- f) Other physical stresses : no other data available

10.5 Incompatible materials

- a) Water : avoid contact
- b) Air : nothing to report
- c) Acids : avoid contact
- d) Bases : avoid contact
- e) Oxidising agents : avoid contact
- f) Reducing agents : avoid contact
- g) Chemicals : avoid contact

10.6 Hazardous decomposition products

Under normal conditions the preparation does not decompose. Due to thermal decomposition, fumes harmful to health are released.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Hazard classes		Information
a)	acute toxicity	Not classified. based on available data, the classification criteria are not met.
b)	skin corrosion/irritation	Not classified. based on available data, the classification criteria are not met.
c)	serious eye damage/irritation	Not classified. based on available data, the classification criteria are not met.
d)	respiratory or skin sensitisation	The product, if brought into contact with the skin, may cause skin sensitization.
e)	germ cell mutagenicity	Not classified. based on available data, the classification criteria are not met.
f)	Carcinogenicity	Not classified. based on available data, the classification criteria are not met.
g)	reproductive toxicity	Not classified. based on available data, the classification criteria are not met.
h)	STOT-single exposure	Not classified. based on available data, the classification criteria are not met.
i)	STOT-repeated exposure	Not classified. based on available data, the classification criteria are not met.
j)	aspiration hazard	Not classified. based on available data, the classification criteria are not met.

Specific toxicological information for the substances contained (if available)

Substance:	Linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool		
CAS:	78-70-6		
ORAL	INHALATION	DERMAL	NOTES
Mouse LD50: 2 200 mg/kg bw	Mouse LC50: > 3.2 mg/L (3200 mg/m ³)	Rabbit LD50: 5 610 mg/kg bw	--

The values entered in this section are those available, at the time of writing this SDS, in the ECHA dossier in the Toxicological information section or from the supplier's indications.

EXPOSURE AND HEALTH EFFECTS

Routes of exposure	The substance can be absorbed into the body by inhalation of its aerosol and by ingestion
Inhalation risk	No indication can be given about the rate in which a harmful concentration of this substance in the air is reached on evaporation at 20 °C.
Effects of short-term exposure	The substance is irritating to the eyes and skin.
Effects of long-term or repeated exposure	The substance may have effects on the liver.
SYMPTOMS BY SPECIFIC ROUTE OF EXPOSURE	
Inhalation	--
Skin	Redness. Ache.

MATERIAL SAFETY DATA SHEET

MIO

TUSCANY GRAPE

Current revision date: 03/04/2024

Current revision number: 00

Previous revision date: --/--/----

Previous revision number: --

Eyes	Redness. Ache.
Ingestion	--
Notes	--

Substance:	d-limonene / (R)-p-mentha-1,8-diene
CAS:	5989-27-5

ORAL	INHALATION	DERMAL	NOTES
Rat LD50: > 2000 mg/kg bw	--	Rabbit LD50: 5000 mg/kg bw	--

The values included in this section are those available, at the time of writing this SDS, in the ECHA dossier in the section Toxicological information or from the supplier's indications.

EXPOSURE AND HEALTH EFFECTS

Routes of exposure	Inhalation, skin, eye, ingestion
Inhalation risk	No indication can be given about the rate at which a harmful concentration of this substance in the air is reached on evaporation at 20°C.
Effects of short-term exposure	The substance is irritating to the skin. The substance is mildly irritating to the eyes.
Effects of long-term or repeated exposure	Repeated or prolonged contact may cause skin sensitization.

SYMPTOMS BY SPECIFIC ROUTE OF EXPOSURE

Inhalation	Slight irritation of the upper respiratory tract
Skin	Redness. Pain.
Eyes	Redness.
Ingestion	If ingested, it can enter the respiratory tract with even lethal consequences.
Notes	--

Substance:	2,2,4,6,6-pentamethylheptane (INCI: Isododecane)
CAS:	13475-82-6

ORAL	INHALATION	DERMAL	NOTES
Rat LD50: 5 000 mg/kg bw	Rat LC50: 5 000 mg/m ³ air	LD50 (rabbit) > 3.16 mL/Kg bw	--

The values included in this section are those available, at the time of writing this SDS, in the ECHA dossier in the section Toxicological information or from the supplier's indications.

Substance:	Methyl anthranilate
CAS:	134-20-3

ORAL	INHALATION	DERMAL	NOTES
Rat DL50: 2800 mg/kg bw	--	Rabbit LD50: 5000 mg/kg bw	--

The values included in this section are those available, at the time of writing this SDS, in the ECHA dossier in the section Toxicological information or from the supplier's indications.

Substance:	BHT
CAS:	128-37-0

ORAL	INHALATION	DERMAL	NOTES
Rat LD50: 6000 mg/kg bw	--	Rat LD50: 2000 mg/kg bw	--

The values included in this section are those available, at the time of writing this SDS, in the ECHA dossier in the section Toxicological information or from the supplier's indications.

EXPOSURE & HEALTH EFFECTS

Routes of exposure	The substance can be absorbed into the body by inhalation of its aerosol and by ingestion.
Inhalation risk	A harmful contamination of the air will not or will only very slowly be reached on evaporation of this substance at 20°C.
Effects of short-term exposure	The substance is irritating to the eyes and skin.
Effects of long-term or repeated exposure	Repeated or prolonged contact with skin may cause dermatitis. The substance may have effects on the liver.

ACUTE HAZARDS/SYMPOTMS

Inhalation	Cough. Sore throat.
Skin	Redness.
Eyes	Redness. Pain.
Ingestion	Abdominal pain. Confusion. Dizziness. Nausea. Vomiting.
Notes	--

Substance:	trans-hex-2-en-1-ol/INCI: TRANS-2-HEXENOL
CAS:	928-95-0

ORAL	INHALATION	DERMAL	NOTES
LD50 > 2 000 mg/kg bw	--	--	--

The values included in this section are those available, at the time of writing this SDS, in the ECHA dossier in the section Toxicological information or from the supplier's indications.

Substance:	Reaction mass of 2-methylbutyl salicylate and pentyl salicylate – Amyl salicylate
CAS:	-- EC: 911-280-7

ORAL	INHALATION	DERMAL	NOTES
Rat LD50: 2 000 mg/kg bw	--	Rabbit LD50: 2 000 mg/kg bw	--

The values included in this section are those available, at the time of writing this SDS, in the ECHA dossier in the section Toxicological information or from the supplier's indications.

Substance:	Linyl acetate
CAS:	115-95-7

ORAL	INHALATION	DERMAL	NOTES
Rat LD50: 9 000 mg/kg bw	--	Rabbit LD50: 5 000 mg/kg bw	--

The values entered in this section are those available, at the time of writing this SDS, in the ECHA dossier in the Toxicological information section or from the supplier's indications.

EXPOSURE AND HEALTH EFFECTS

Routes of exposure	--
Inhalation risk	No indication can be given about the rate in which a harmful concentration of this substance in the air is reached on evaporation at 20 °C.
Effects of short-term exposure	The substance is mildly irritating to the eyes.
Effects of long-term or repeated exposure	--

SYMPTOMS BY SPECIFIC ROUTE OF EXPOSURE

Inhalation	--
Skin	--
Eyes	Redness.
Ingestion	--
Notes	--

TUSCANY GRAPE

Current revision date: 03/04/2024

Current revision number: 00

Previous revision date: --/--/----

Previous revision number: --

Substance:	Geraniol / (2E)-3,7-dimethylocta-2,6-dien-1-ol			NOTES
CAS:	106-24-1			
ORAL	INHALATION	DERMAL		
Rat LD50: 3 600 mg/kg bw	--	Rabbit LD50: 5 000 mg/kg bw	--	

The values entered in this section are those available, at the time of writing this SDS, in the ECHA dossier in the Toxicological information section or from the supplier's indications.

Substance:	Ethyl methylphenylglycidate / Ethyl 2,3-epoxy-3-phenylbutyrate			NOTES
CAS:	77-83-8			
ORAL	INHALATION	DERMAL		
Rat LD50: > 5 000 mg/kg bw	study scientifically not necessary	Rat LD50: > 2 000 mg/kg bw	--	

The values entered in this section are those available, at the time of writing this SDS, in the ECHA dossier in the Toxicological information section or from the supplier's indications.

Substance:	Hexyl cinnamal / (2E)-2-(phenylmethylidene)octanal			NOTES
CAS:	165184-98-5			
ORAL	INHALATION	DERMAL		
Rat LD50: 3100 mg/kg bw	Rat LC50: 2120 mg/m³ air	Rabbit LD50: 3000 mg/kg bw	--	

The values entered in this section are those available, at the time of writing this SDS, in the ECHA dossier in the Toxicological information section or from the supplier's indications.

Substance:	Nerol, 3,7-dimethylocta-2,6-dien-1-ol			NOTES
CAS:	106-25-2			
ORAL	INHALATION	DERMAL		
Rat LD50: 4500 mg/kg bw	--	Rabbit LD50: >5000 mg/kg bw	--	

The values entered in this section are those available, at the time of writing this SDS, in the ECHA dossier in the Toxicological information section or from the supplier's indications.

Substance:	Neryl acetate			NOTES
CAS:	141-12-8			
ORAL	INHALATION	DERMAL		
Rat LD50: 5 000 mg/kg bw	--	Rabbit LD50: 5 000 mg/kg bw	--	

The values entered in this section are those available, at the time of writing this SDS, in the ECHA dossier in the Toxicological information section or from the supplier's indications.

Substance:	Allyl caproate / Allyl hexanoate			NOTES
CAS:	123-68-2			
ORAL	INHALATION	DERMAL		
Rat LD50: 218 mg/kg bw	--	Rabbit LD50: 820 mg/kg bw	--	

The values entered in this section are those available, at the time of writing this SDS, in the ECHA dossier in the Toxicological information section or from the supplier's indications.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

The mixture does NOT contain substances identified as having endocrine-disrupting properties in accordance with the criteria established in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentrations equal to or greater than 0.1% in weight.

11.2.2 Other information

No further data available

SECTION 12: Ecological information

Environmental Release Categories: ERC11a - Widespread use of articles with low release (indoor)

12.1 Toxicity

The product is dangerous for the environment as it is harmful to aquatic organisms following acute exposure.

Use according to good working practices, avoiding to disperse the product in the environment.

Ecotoxicological information specific to the substances contained

Substance:	Linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool			Guideline	OECD Guideline 203
CAS:	78-70-6				
LC50 - fish	96h: 27.8 mg/L	Species	Salmo gairdneri	Guideline	OECD Guideline 202
EC50 - aquatic invertebrates	48h: 59 mg/L	Species	Daphnia magna	Guideline	DIN 38412 L 9
ERL50 - algae and cyanobacteria	96h: 156.7 mg/L	Species	Desmodesmus subspicatus	Guideline	OECD Guideline 203
NOEC Cronic fish	96h: <3.5 mg/L	Species	Salmo gairdneri	Guideline	OECD Guideline 202
NOEC Cronic aquatic invertebrates	48h: 25 mg/L	Species	Daphnia magna	Guideline	DIN 38412 L 9
NOErL Cronic algae and cyanobacteria	96h: 54.3 mg/L	Species	Desmodesmus subspicatus	Guideline	OECD 201

Substance:	d-limonene / (R)-p-mentha-1,8-diene			Guideline	OECD 203
CAS:	5989-27-5				
LC50 - fish	96h: < 1 mg/L	Species	Pimephales promelas	Guideline	OECD 202
EC50 - aquatic invertebrates	48h: 0.307 mg/L	Species	Daphnia magna	Guideline	OECD 201
ERL50 - algae and cyanobacteria	72h: 0.32 mg/L	Species	Pseudokirchneriella subcapitata	Guideline	--
NOEC Cronica fish	--	Species	--	Guideline	--
NOEC Cronica aquatic invertebrates	--	Species	--	Guideline	--
NOErL Cronica algae and cyanobacteria	72h: 0.174 mg/L	Species	Pseudokirchneriella subcapitata	Guideline	OECD 201

Substance:	2,2,4,6,6-pentamethylheptane (INCI: Isododecane)			Guideline	OECD203
CAS:	13475-82-6				
LC50 - fish	96h: >1028 mg/L	Species	Scophthalmus maximus	Guideline	ISO 14669 - 1999 Water quality
EC50 - aquatic invertebrates	48h: >3000 mg/L	Species	Acartia tonsa	Guideline	ISO 10253
ERL50 - algae and cyanobacteria	72h: 3.83 mg/L	Species	Skeletonema costatum	Guideline	--
NOEC chronic fish	--	Species	--	Guideline	--
NOEC chronic invertebrates	--	Species	--	Guideline	--
NOEC chronic algae and cyanobacteria	--	Species	--	Guideline	--

Substance:	Methyl anthranilate			Guideline	OECD203
CAS:	134-20-3				
LC50 - fish	96h - 32.35 mg/L	Species	Oncorhynchus mykiss Richardson	Guideline	OECD202
EC50 - aquatic invertebrates	48h - 18.5 mg/L	Species	Daphnia Magna	Guideline	OECD201
ERL50 - algae and cyanobacteria	72h - 151.16 mg/L	Species	Pseudokirchneriella subcapitata	Guideline	--
NOEC Cronica fish	--	Species	--	Guideline	--

MATERIAL SAFETY DATA SHEET

TUSCANY GRAPE

MIO

Current revision date: 03/04/2024

Current revision number: 00

Previous revision date: --/--/----

Previous revision number: --

NOEC Cronica aquatic invertebrates	--	Species	--	Guideline	--
NOErL Cronic algae and cyanobacteria	--	Species	--	Guideline	--
Substance:	BHT				
CAS:	128-37-0				
LC50 - fish	96h: 0.199 mg/L	Species	Salmo gairdneri	Guideline	ECOSAR v1.00a, phenols class
EC50 - aquatic invertebrates	48h: 0.48 mg/L	Species	Daphnia magna	Guideline	OECD 202
ERL50 - algae and cyanobacteria	72h: 0.24 mg/L	Species	Pseudokirchneriella subcapitata	Guideline	OECD 201
NOEC Cronica fish	30d: 0.053 mg/L	Species	Oryzias latipes	Guideline	OECD Guideline 210
NOEC Cronica aquatic invertebrates	48h: 0.15 mg/L	Species	Daphnia magna	Guideline	OECD 202
NOErL Cronic algae and cyanobacteria	72h: 0.24 mg/L	Species	Pseudokirchneriella subcapitata	Guideline	OECD 201
Substance:	trans-hex-2-en-1-ol/INCI: TRANS-2-HEXENOL				
CAS:	928-95-0				
LC50 - fish	--	Species	--	Guideline	--
EC50 - aquatic invertebrates	48-hour - 163 mg/L	Species	Daphnia magna	Guideline	OECD Guideline 202
EC50 - algae and cyanobacteria	72-hour - 226 mg/L	Species	Pseudokirchneriella subcapitata	Guideline	OECD Guideline 201
NOEC Cronica fish	--	Species	--	Guideline	--
NOEC Cronica aquatic invertebrates	--	Species	--	Guideline	--
NOErL Cronic algae and cyanobacteria	--	Species	--	Guideline	--
Substance:	Reaction mass of 2-methylbutyl salicylate and pentyl salicylate – Amyl salicylate				
CAS:	--	EC: 911-280-7			
LC50 - fish	96h: 1.34 mg/L	Species	Danio rerio	Guideline	OECD203
EC50 - aquatic invertebrates	48h: 0.88 mg/L	Species	Daphnia magna	Guideline	OECD202
ERL50 - algae and cyanobacteria	72h: 0.23 mg/L	Species	Pseudokirchneriella subcapitata	Guideline	OECD201
NOEC Cronica fish	--	Species	--	Guideline	--
NOEC Cronica aquatic invertebrates	--	Species	--	Guideline	--
NOErL Cronic algae and cyanobacteria	72h: 0.010 mg/L	Species	Pseudokirchneriella subcapitata	Guideline	OECD201
Substance:	Linalyl acetate				
CAS:	115-95-7				
LC50 - fish	96h: 11 mg/L	Species	Cyprinus carpio	Guideline	OECD 203
EC50 - aquatic invertebrates	48h: 59 mg/L	Species	Daphnia magna	Guideline	OECD 202
EC50 - aquatic algae and cyanobacteria	96h: 68 mg/L	Species	Desmodesmus subspicatus	Guideline	OECD 201
NOEC chronic fish	--	Species	--	Guideline	--
NOEC chronic invertebrates	--	Species	--	Guideline	--
NOEC chronic algae and cyanobacteria	96h: 3.9 mg/L	Species	Desmodesmus subspicatus	Guideline	OECD 201
Substance:	Geraniol / (2E)-3,7-dimethylocta-2,6-dien-1-ol				
CAS:	106-24-1				
LC50 - fish	96h: 22 mg/L	Species	Brachydanio rerio	Guideline	DIN 38 412, parte L15
EC50 - aquatic invertebrates	24h: 1.19 mg/L	Species	Daphnia magna	Guideline	Direttiva UE 79/831 / CEE, Allegato V, parte C
ERL50 - algae and cyanobacteria	72h: 0.82 mg/L	Species	Desmodesmus subspicatus	Guideline	Algae inhibition test supported by the UBA
NOEC Cronica fish	--	Species	--	Guideline	--
NOEC Cronica aquatic invertebrates	--	Species	--	Guideline	--
NOErL Cronic algae and cyanobacteria	--	Species	--	Guideline	--
Substance:	Beta Damascone / Trans-Rose-Ketone-2				
CAS:	23726-91-2				
LC50 - fish	--	Species	--	Guideline	--
EC50 - aquatic invertebrates	48h: 9.5 mg/L	Species	Daphnia Magna	Guideline	OECD202
ERL50 - algae and cyanobacteria	72h: 8.8 mg/L	Species	--	Guideline	--
NOEC Cronica fish	--	Species	--	Guideline	--
NOEC Cronica aquatic invertebrates	--	Species	--	Guideline	--
NOErL Cronic algae and cyanobacteria	--	Species	--	Guideline	--
Substance:	Ethyl methylphenylglycidate / Ethyl 2,3-epoxy-3-phenylbutyrate				
CAS:	77-83-8				
LC50 - fish	96h: 4.2 mg/L	Species	Oncorhynchus mykiss	Guideline	OECD203
EC50 - aquatic invertebrates	48h: 52 mg/L	Species	Daphnia Magna	Guideline	OECD202
ERL50 - algae and cyanobacteria	72h: 36 mg/L	Species	Pseudokirchneriella subcapitata	Guideline	OECD201
NOEC Cronica fish	--	Species	--	Guideline	--
NOEC Cronica aquatic invertebrates	--	Species	--	Guideline	--
NOErL Cronic algae and cyanobacteria	72h: 9.3 mg/L	Species	Desmodesmus subspicatus	Guideline	OECD201
Substance:	Hexyl cinnamal / (2E)-2-(phenylmethylene)octanal				
CAS:	165184-98-5				
LC50 - fish	96h-1.7 mg/L	Species	Pimephales promelas	Guidelines	OECD203
EC50 - aquatic invertebrates	48h-0.247 mg/L	Species	Daphnia magna	Guidelines	OECD202
EC50 - aquatic algae and cyanobacteria	72h-0.065 mg/L	Species	Desmodesmus subspicatus	Guidelines	OECD201
NOEC chronic fish	96h-0.93 mg/L	Species	Pimephales promelas	Guidelines	OECD203
NOEC chronic invertebrates	--	Species	--	Guidelines	--
NOEC chronic algae and cyanobacteria	72h-0.065 mg/L	Species	Desmodesmus subspicatus	Guidelines	OECD201
Substance:	Nerol, 3,7-dimethylocta-2,6-dien-1-ol				
CAS:	106-25-2				
LC50 - fish	96h: 20.3 mg/L	Species	Danio rerio	Guideline	OECD203
EC50 - aquatic invertebrates	48h: 32.4 mg/L	Species	Daphnia Magna	Guideline	OECD202
EC50 - aquatic algae and cyanobacteria	72h: 7.45 mg/L	Species	Pseudokirchneriella subcapitata	Guideline	OECD201
NOEC chronic fish	--	Species	--	Guideline	--
NOEC chronic invertebrates	--	Species	--	Guideline	--
NOEC chronic algae and cyanobacteria	72h: 2.58 mg/L	Species	Pseudokirchneriella subcapitata	Guideline	OECD201

TUSCANY GRAPE

Current revision date: 03/04/2024

Current revision number: 00

Previous revision date: --/--/----

Previous revision number: --

Substance:	Neryl acetate				
CAS:	141-12-8				
LC50 - fish	96h: 6 mg/L	Species	Leuciscus idus	Guideline	EU Method C.1
EC50 - aquatic invertebrates	48h: 9.06 mg/L	Species	Daphnia magna	Guideline	EU Method C.2
ERL50 - algae and cyanobacteria	72h: 4.9 mg/L	Species	--	Guideline	EU Method C.3
NOEC Cronica fish	--	Species	--	Guideline	--
NOEC Cronica aquatic invertebrates	--	Species	--	Guideline	--
NOErL Cronic algae and cyanobacteria	--	Species	--	Guideline	--
Substance:	Allyl caproate / Allyl hexanoate				
CAS:	123-68-2				
LC50 - fish	96h - 0.117 mg/L	Species	Danio rerio	Guideline	OECD203
EC50 - aquatic invertebrates	48h - 2 mg/L	Species	Daphnia Magna	Guideline	OECD202
EC50 - aquatic algae and cyanobacteria	72h - 4.6 mg/L	Species	Desmodesmus subspicatus	Guideline	OECD201
NOEC chronic fish	96h - -- mg/L	Species	--	Guideline	--
NOEC chronic invertebrates	48h - -- mg/L	Species	--	Guideline	--
NOEC chronic algae and cyanobacteria	72h - 0.255 mg/L	Species	Desmodesmus subspicatus	Guideline	OECD201

12.2 Persistence and degradability

May cause long-term negative effects on the aquatic environment.

Specific biodegradation information for the substances contained

Substance:	Linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool						
CAS:	78-70-6						
Biodegradation in water	Easily biodegradable		Test time	28d			
Substance:	d-limonene / (R)-p-mentha-1,8-diene		Test time	28d			
CAS:	5989-27-5		Test time	28 d			
Biodegradation in water	Rapidly biodegradable		Test time	28 d			
Substance:	2,2,4,6,6-pentamethylheptane (INCI: Isododecane)						
CAS:	13475-82-6						
Biodegradation in water	Easily biodegradable		Test time	28d			
Substance:	Methyl anthranilate						
CAS:	134-20-3						
Biodegradation in water	Easily biodegradable		Test time	20d			
Substance:	BHT						
CAS:	128-37-0						
Biodegradation in water	Not easily biodegradable		Test time	28d			
Substance:	trans-hex-2-en-1-ol/INCI: TRANS-2-HEXENOL						
CAS:	928-95-0						
Biodegradation in water	Readily biodegradable		Test time	--			
Substance:	Reaction mass of 2-methylbutyl salicylate and pentyl salicylate – Amyl salicylate						
CAS:	-- EC: 911-280-7						
Biodegradation in water	Readily biodegradable		Test time	28d			
Substance:	Linalyl acetate						
CAS:	115-95-7						
Biodegradation in water	Easily biodegradable		Test time	28d			
Substance:	Geraniol / (2E)-3,7-dimethylocta-2,6-dien-1-ol						
CAS:	106-24-1						
Biodegradation in water	Easily biodegradable		Test time	--			
Substance:	Beta Damascone / Trans-Rose-Ketone-2						
CAS:	23726-91-2						
Biodegradation in water	Not easily biodegradable		Test time	28d			
Substance:	Ethyl methylphenylglycidate / Ethyl 2,3-epoxy-3-phenylbutyrate						
CAS:	77-83-8						
Biodegradation in water	Inherently biodegradable		Test time	36d			
Substance:	Hexyl cinnamal / (2E)-2-(phenylmethylidene)octanal						
CAS:	165184-98-5						
Biodegradation in water	Readily biodegradable		Test time	28d			
Substance:	Nerol, 3,7-dimethylocta-2,6-dien-1-ol						
CAS:	106-25-2						
Biodegradation in water	Rapidly biodegradable		Test time	28d			
Substance:	Neryl acetate						
CAS:	141-12-8						
Biodegradation in water	Readily biodegradable		Test time	28d			
Substance:	Allyl caproate / Allyl hexanoate						
CAS:	123-68-2						
Biodegradation in water:	Easily biodegradable		Test time	10d			

12.3 Bioaccumulative potential

Data not available for the mixture.

Bioaccumulation information specific to the substances contained

TUSCANY GRAPE

Current revision date: 03/04/2024

Current revision number: 00

Previous revision date: --/--/----

Previous revision number: --

Substance:	Linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool	
CAS:	78-70-6	
Partition coefficient: octanol/water	Log Kow (Log Pow): -2.9 at 20 °C	
BCF	The study does not need to be conducted because the substance has a low bioaccumulation potential based on log Kow <=3	
Substance:	d-limonene / (R)-p-mentha-1,8-diene	
CAS:	5989-27-5	
Partition coefficient: n-octanol / water	Log Kow (Log Pow): 4.38 at 25°C	
BCF	690.1 L/kg ww	
Substance:	2,2,4,6,6-pentamethylheptane (INCI: Isododecane)	
CAS:	13475-82-6	
Partition coefficient: n-octanol / water	log Pow 6,96	
BCF	811.55 L/kg	
Substance:	Methyl anthranilate	
CAS:	134-20-3	
Partition coefficient: octanol/water	Log Kow (Log Pow): 1.88 at 20°C	
BCF	--	
Substance:	BHT	
CAS:	128-37-0	
Partition coefficient: n-octanol/water	Log Kow (Log Pow): 5.2 at 20 °C	
BCF	1 277 dimensionless	
Substance:	Reaction mass of 2-methylbutyl salicylate and pentyl salicylate – Amyl salicylate	
CAS:	-- EC: 911-280-7	
Partition coefficient: octanol/water	Log Kow (Log Pow): 4.47 at 30°C	
BCF	570 L/kg ww	
Substance:	Linalyl acetate	
CAS:	115-95-7	
Partition coefficient: n-octanol / water	Log Kow (Log Pow): 3.9 at 15 °C	
BCF	174 L/kg w/w	
Substance:	Geraniol / (2E)-3,7-dimethylocta-2,6-dien-1-ol	
CAS:	106-24-1	
Partition coefficient: n-octanol/water	Log Kow (Log Pow): 2.6 at 25 °C	
BCF	The study does not need to be conducted because the substance has a low bioaccumulation potential based on log Kow <=3	
Substance:	Beta Damascone / Trans-Rose-Ketone-2	
CAS:	23726-91-2	
Partition coefficient: n-octanol / water	Log Kow (Log Pow): 3.68 at 22.5°C	
BCF	--	
Substance:	Ethyl methylphenylglycidate / Ethyl 2,3-epoxy-3-phenylbutyrate	
CAS:	77-83-8	
Partition coefficient: octanol/water	Log Kow (Log Pow): 2.8 at 25°C	
BCF	--	
Substance:	Hexyl cinnamal / (2E)-2-(phenylmethylidene)octanal	
CAS:	165184-98-5	
Partition coefficient: n-octanol / water	Log Kow (Log Pow): 5.3 at 24 °C	
BCF	--	
Substance:	Nerol, 3,7-dimethylocta-2,6-dien-1-ol	
CAS:	106-25-2	
Partition coefficient: n-octanol/water	Log Kow (Log Pow): 2.76 at 30°C	
BCF	35.4 L/kg ww	
Substance:	Neryl acetate	
CAS:	141-12-8	
Partition coefficient: octanol/water	Log Kow (Log Pow): 3.98 at 37°C	
BCF	454 L/kg ww (aquatic species)	
Substance:	Allyl caproate / Allyl hexanoate	
CAS:	123-68-2	
Partition coefficient: octanol/water	Log Kow (Log Pow): 3.191 at 20°C	
BCF	102,3 l/kg ww – The substance is considered not bioaccumulative.	

12.4 Mobility in soil

Data not available for the mixture.

Mobility information in soil specific to the substances contained

Substance:	Linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool	
CAS:	78-70-6	
In accordance with column 2 of Annex VIII of the REACH Regulation, adsorption/desorption tests (both screening and further tests) are not necessary as the substance is expected to have low adsorption potential based on its log Kow low (<3) and the substance is easily biodegradable and therefore degrades rapidly in the environment.		
Substance:	d-limonene / (R)-p-mentha-1,8-diene	
CAS:	5989-27-5	

Log Koc: 3.383 (Koc: 2413 L/kg at 20°C)

TUSCANY GRAPE

Current revision date: 03/04/2024

Current revision number: 00

Previous revision date: --/--/----

Previous revision number: --

Substance: 2,2,4,6,6-pentamethylheptane (INCI: Isododecane)

CAS: 13475-82-6

The adsorption coefficient was calculated using Petrorisk. This substance is best represented by 2,2,4,6,6-pentamethylheptane from the Concawe Library (Compound ID - 1503). The log Koc of this substance is 4.91. The Koc of this substance is 8.13×10^4 .

Substance: Methyl anthranilate

CAS: 134-20-3

Koc at 20 °C: 75 [log Koc: 1.87]

Substance: BHT

CAS: 128-37-0

Koc at 20 °C: 23 030 [= LogKoc : 4.362]

Substance: Reaction mass of 2-methylbutyl salicylate and pentyl salicylate – Amyl salicylate

CAS: -- EC: 911-280-7

Koc at 20 °C: 5 012 [= logKoc: 3.7]

Substance: Linalyl acetate

CAS: 115-95-7

Log Koc = 2.6359 (Koc at 25 °C: 432.4 L/kg) based on this result, adsorption to the solid phase of the soil is not expected.

Substance: Geraniol / (2E)-3,7-dimethylocta-2,6-dien-1-ol

CAS: 106-24-1

A log Koc of 1.85 was calculated for the substance using SRC PCKOCWIN v1.66. The Koc log indicates that adsorption of the substance into soil and sediment is not expected.

Substance: Ethyl methylphenylglycidate / Ethyl 2,3-epoxy-3-phenylbutyrate

CAS: 77-83-8

Koc at 20 °C: 550 (LogKoc: 2.74)

Substance: Hexyl cinnamal / (2E)-2-(phenylmethylidene)octanal

CAS: 165184-98-5

Log Koc: 4.2 (Koc at 20°C: 15 800)

Substance: Nerol, 3,7-dimethylocta-2,6-dien-1-ol

CAS: 106-25-2

Koc at 20 °C: 143 (LogKoc: 2.155)

Substance: Neryl acetate

CAS: 141-12-8

Koc = 893 (Log Koc 2.95) at 20°C

Substance: Allyl caproate / Allyl hexanoate

CAS: 123-68-2

It is not necessary to determine the log Koc value as the substance and its degradation products are rapidly degraded in the environment.

12.5 Results of PBT and vPvB assessment

The chemical safety report is not required for the mixture. However, based on the available data, the mixture does not contain PBT or vPvB substances in a percentage higher than 0.1 in accordance with Regulation 1907/2006, annex XIII.

12.6 Endocrine disrupting properties

The mixture does NOT contain substances identified as having endocrine-disrupting properties in accordance with the criteria established in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentrations equal to or greater than 0.1% in weight.

12.7 Other adverse effects

Classification for water pollution in Germany (AwSV, vom 18. April 2017): WGK 1: Slightly dangerous for waters

SECTION 13: Disposal considerations

The substance/mixture shall not be removed through the sewerage system.

13.1 Waste treatment methods

Container material and type:

Glass / Plastic / Paper / Metal / Composite (identify the exact material from the symbols on the packaging).

Methods for waste treatment of the substance or mixture:

DANGER FEATURES (Directive 2008/98 / EC): HP 14 «Ecotoxic»

RECOVERY OPERATIONS (Directive 2008/98 / EC): R 13 Storage of waste pending any of the operations numbered R 1 to R 12

DISPOSAL OPERATIONS (Directive 2008/98 / EC): D13 - Blending or mixing prior to submission to any of the operations numbered D 1 to D 12

EER CODE : 16 03 05* - organic wastes containing hazardous substances

Methods for handling any contaminated packaging:

DANGER FEATURES (Directive 2008/98 / EC): HP 14 «Ecotoxic»

RECOVERY OPERATIONS (Directive 2008/98 / EC): R 13 Storage of waste pending any of the operations numbered R 1 to R 12

DISPOSAL OPERATIONS (Directive 2008/98 / EC): D13 - Blending or mixing prior to submission to any of the operations numbered D 1 to D 12

EER CODE : 15 01 10* packaging containing residues of or contaminated by hazardous substances

Physical / chemical properties that can affect waste treatment:

Since it is a "mirror" waste, the physical/chemical properties that can influence the treatment must necessarily be defined through analytical characterization, as they cannot be defined a priori through analysis of the production process.

Special precautions for recommended waste treatment:

The hazard characteristics, disposal and recovery operations and the suggested EWC codes refer to the product as it is without considering any changes due to use. It is therefore recommended, before disposal, to reclassify the waste, also evaluating its origin. Any mixing of different types of non-hazardous waste and any mixture of different hazardous waste is prohibited (Article 23 of Directive 2008/98 / EC). Disposal must be entrusted to an authorized waste treatment company, in compliance with national and possibly local regulations

SECTION 14: Transport information

Not included in the scope of the regulations on the transport of dangerous goods: by road (ADR); by rail (RID); by air (ICAO / IATA); by sea (IMDG).

	ADR	IMDG	IATA
14.1 UN number or ID number		Not applicable	

TUSCANY GRAPE

Current revision date: 03/04/2024

Current revision number: 00

Previous revision date: --/--/----

Previous revision number: --

14.2	UN proper shipping name	Not applicable
14.3	Transport hazard class(es)	Not applicable
14.4	Packing group	Not applicable
14.5	Environmental hazards	Not applicable
14.6	Special precautions for user	Not applicable
14.7	Maritime transport in bulk according to IMO instruments	Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives.

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products.

Commission Delegated Regulation (EU) 2017/2100 of 4 September 2017 setting out scientific criteria for the determination of endocrine-disrupting properties pursuant to Regulation (EU) No 528/2012 of the European Parliament and Council.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 replacing Annex III to Directive 2008/98/EC of the European Parliament and of the Council on waste and repealing certain Directives

COMMISSION DECISION of 18 December 2014 amending Decision 2000/532/EC on the list of waste pursuant to Directive 2008/98/EC of the European Parliament and of the Council

REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents

Directive 2010/75/EU of the European Parliament and of the Council of 24 November 2010 on industrial emissions (integrated pollution prevention and control)

Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC

813.1 Federal Act of 15 December 2000 on Protection against Dangerous Substances and Preparations (Chemicals Act, Chema)

813.11 Ordinance of 5 June 2015 on Protection against Dangerous Substances and Preparations (Chemicals Ordinance, ChemO)

The mixture does not contain substances of very high concern (CANDIDATE LIST) as listed in Annex 3

Basel Convention of 22 March 1989 on the Control of Transfrontier Movements of Hazardous Wastes and their Disposal 0.814.05

814.20 Federal Act of 24 January 1991 on the Protection of Waters (Waters Protection Act, WPA)

814.201 Waters Protection Ordinance of 28 October 1998 (WPO)

814.01 Federal Act of 7 October 1983 on the Protection of the Environment (Environmental Protection Act, EPA)

814.600 Ordinance of 4 December 2015 on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO)

814.610.1 DETEC Ordinance on Lists for the Movement of Waste

814.610 Ordinance on the Movement of Waste

814.012 Ordinance of 27 February 1991 on Protection against Major Accidents (Major Accidents Ordinance, MAO)

814.018 Ordinance of 12 November 1997 on the Incentive Tax on Volatile Organic Compounds (OVOC)

DIRECTIVE 2012/18/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC

SEVESO category

Not applicable

Specified dangerous substances

See section 3.2 for the presence of substances included in Annex I, part 2.

Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors, amending Regulation (EC) No 1907/2006 and repealing Regulation (EU) No 98/2013

The mixture does not contain an explosive precursor.

15.2 Chemical safety assessment

Chemical safety assessment for the mixture not foreseen. This safety data sheet contains one or more Exposure Scenarios in an integrated form. The content, where relevant, has been included in sections 1.2, 8, 9, 12, 15 and 16 of the same safety data sheet

SECTION 16: Other information

16.1 Indication of any points of the SDS that have been revised

No chapter has been modified as this sheet is the first issue.

16.2 Key abbreviations and acronyms used in this SDS

APVR	Respiratory protective equipment	FPO	Operational protection factor
ATE	Acute Toxicity Estimates	GHS	Globally Harmonized System
BCF	Bioconcentration Factor	HP	Hazardous Properties
CAS	Chemical abstract service	IMO	International Maritime Organization
CE	European Community	ISO	International Standard Organization
CLP	Classification, Labelling and Packaging	LC50	Median lethal concentration
COV	Volatile Organic Compounds	LD50	Median lethal dose
DNEL	Derived No Effect Level	N.A.S.	Not otherwise specified
DPI	Dispositivi di Protezione Individuale	NOEC	No observed effect concentration
EC	European Community	ONU	United Nations Organization
EC50	Half maximal effective concentration	PBT	Persistent, Bioaccumulative and Toxic Substances
ECHA	European Chemicals Agency	vPvB	Very Persistent and very Bioaccumulative substances
EER	European Waste List	ppm	Parts per milion
EmS	Emergency Schedules	PROC	Category of processes
EN	European normalization	REACH	Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals
ERC	Environmental release categories	STOT	Specific target organ toxicity
EUH	Supplemental hazard information	STP	Sewage treatment plant
EuPCS	European Product Categorisation System	UE	European Union
FPN	Protection factor Nominal	UFI	Unique Identifier of Formula
FFP	Filtering Facepiece	UNI	Italian Standard Orgnization.

16.3 Full text of the Classification Information set out in Section 3

Description of the hazard class and category codes set out in section 3

Skin Irrit. 2 - Skin corrosion/irritation, Hazard Category 2
Skin, Sens. 1B - Sensitisation — Skin, hazard category 1B
Eye Irrit. 2 - Serious eye damage/eye irritation, Hazard Category 2
Flam. Liq. 3 - Flammable liquids, Hazard Category 3
Asp. Tox. 1 - Aspiration hazard, Hazard Category 1

Description of the hazard statements set out in section 3

H315 - Causes skin irritation
H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation
H226 - Flammable liquid and vapour.
H304 - May be fatal if swallowed and enters airways.

TUSCANY GRAPE

Current revision date: 03/04/2024

Current revision number: 00

Previous revision date: --/--/----

Previous revision number: --

Aquatic Acute 1 - Hazardous to the aquatic environment -AcuteHazard, Category 1
 Aquatic Chronic 3 - Hazardous to the aquatic environment — Chronic Hazard, Category 3
 Aquatic Chronic 4 - Hazardous to the aquatic environment — Chronic Hazard, Category 4
 Aquatic Chronic 1 - Hazardous to the aquatic environment — Chronic Hazard, Category 1
 Skin Corr. 1B - Skin corrosion/irritation, Hazard Category 1, Sub-Categories 1B
 Eye Dam. 1 - Serious eye damage/eye irritation, Hazard Category 1
 Acute Tox. 4 - Acute toxicity (oral), Hazard Category 4
 Skin. Sens. 1 - Sensitisation — Skin, hazard category 1
 Aquatic Chronic 2 - Hazardous to the aquatic environment — Chronic Hazard, Category 2
 Acute Tox. 3 - Acute toxicity (oral), Hazard Category 3
 Acute Tox. 3 - Acute toxicity (dermal), Hazard Category 3
 Acute Tox. 3 - Acute toxicity (inhal.), Hazard Category 3

H400 - Very toxic to aquatic life
 H412 - May cause long lasting harmful effects to aquatic life.
 H413 - May cause long lasting harmful effects to aquatic life.
 H410 - Very toxic to aquatic life with long lasting effects.
 H314 - Causes severe skin burns and eye damage
 H318 - Causes serious eye damage.
 H302 - Harmful if swallowed.
 H317 - May cause an allergic skin reaction.
 H411 - Toxic to aquatic life with long lasting effects.
 H301 - Toxic if swallowed.
 H311 - Toxic in contact with skin.
 H331 - Toxic if inhaled.

Additional hazard statements set out in section 3

EUH066 - Repeated exposure may cause skin dryness or cracking

M-Factor

Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1.

16.4 Bibliographical references and main data sources

ECHA European Chemicals Agency
 TOXNET Toxicology Data Network
 CheLIST Chemical Lists Information System
 IPCS International Programme on Chemical Safety (Cards)

OSHA European Agency for Safety and Health at Work
 WHO World Health Organization
 ICS CS International Chemical Safety Cards
 NIOSH Registry of toxic effects of chemical substances (1983)

IARC International Agency for Research on Cancer
 ACGIH American Conference of Governmental Industrial Hygienists
 ILO International Labour Organization
 IFA Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung

16.5 Normative references and / or documents (from which the data in section 8.1 derive)Code⁽¹⁾

State

		Bibliography / documents --> LINK	
AUS	Australia	https://www.dguv.de/ifa/...../limit-values-australia/index-2.jsp	https://engage.swa.gov.au/workplace-exposure-standards-review
AUT	Austria	https://www.dguv.de/ifa/...../limit-values-austria/index-2.jsp	https://www.jusline.at/gesetz/gkv_2011
BEL	Belgium	https://www.dguv.de/ifa/...../limit-values-belgium/index-2.jsp	https://employment.belgium.be/en
BGR	Bulgaria	https://pirogov.eu/bg/	
CAN	Canada-Ontario	https://www.dguv.de/ifa/...../limit-values-canada-ontario/index-2.jsp	https://www.labour.gov.on.ca/english/hs/pubs/oel_table.php
CAN	Canada-Québec	https://www.dguv.de/ifa/...../limit-values-canada-québec/index-2.jsp	http://legisquebec.gouv.qc.ca/fr/showdoc/cr/S.....
CYP	Cyprus	http://www.mlsi.gov.cy/	
CAE	Czech Republic	https://www.mzcr.cz/	
HRV	Croatia	https://www.hzt.hr/	
DNK	Denmark	https://www.dguv.de/ifa/...../limit-values-denmark/index-2.jsp	https://www.retsinformation.dk/eli/lt/2019/1458
EST	Estonia	http://www.1666.ee/	
EU ⁽²⁾	European Union	https://www.dguv.de/ifa/...../limit-values-european-union/index-2.jsp	https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX:31998L0024
FIN	Finland	https://www.dguv.de/ifa/...../limit-values-finland/index-2.jsp	https://ulikaisut.valtioneuvosto.fi/handle/10024/160967
FRA	France	https://www.dguv.de/ifa/...../limit-values-france/index-2.jsp	https://www.anses.fr/
DEU	Germany (AGS)	https://www.dguv.de/ifa/...../limit-values-germany-(ags)/index-2.jsp	https://www.baua.de/DE/...../Regelwerk/TRGS/pdf/TRGS-900.pdf
DEU	Germany (DFG)	https://www.dfg.de/dfg_profil/gremien/senat/arbeitsstoffe/publikationen/index.html	https://www.dfg.de/en/dfg_profile/...../health_hazards/index.html
GRC	Greece	http://www.gcs.gr/	
HUN	Hungary	https://www.dguv.de/ifa/...../limit-values-hungary/index-2.jsp	https://www.biztonsagjatlap.hu/...../5_2020-II.-6.-ITM-rendelet.pdf
ISL	Iceland	https://www.ust.is/the-environment-agency-of-iceland/chemicals/	
IRL	Ireland	https://www.dguv.de/ifa/...../limit-values-ireland/index-2.jsp	https://www.hsa.ie/eng/...../2016_CodePracticeChemicalAgentsRegulations/...../limit-values-israel/index-2.jsp?query=webcode+e1179462
ISR	Israel	https://www.dguv.de/ifa/gestis/.....	
ITA	Italy	https://www.dguv.de/ifa/...../limit-values-italy/index-2.jsp	http://www.preparatipericolosi.iss.it
JPN	Japan (MHLW)	https://www.dguv.de/ifa/...../limit-values-japan/index-2.jsp	https://www.mhlw.go.jp/english/index.html
JPN	Japan (JSOH)	https://www.dguv.de/ifa/...../limit-values-japan-isoh/index-2.jsp	https://www.sanei.or.jp/
LVA	Latvia	https://www.dguv.de/ifa/...../limit-values-latvia/index-2.jsp	https://likumi.lv/doc.php?id=157382&from=off
LTU	Lithuania	http://www.gamtla.lt/	
LUX	Luxembourg	http://www.ms.public.lu/fr/	
MLT	Malta	https://mccaa.org.mt/	
NZL	New Zealand	https://www.dguv.de/ifa/...../limit-values-new-zealand/index-2.jsp	https://worksafe.govt.nz/...../work-health/...../std-biol-exposure-indices/
NOR	Norway	http://www.miljodirektoratet.no/	https://www.fhi.no/en/
CHN	People's Republic of China	https://www.dguv.de/ifa/...../limit-values-china/index-2.jsp	http://www.nhpfc.gov.cn/zhuz/pyl/200704/38838.shtml
POL	Poland	https://www.dguv.de/ifa/...../limit-values-poland/index-2.jsp	http://www.ciop.pl/
PRT	Portugal	http://www.inem.pt/ciav	
ROU	Romania	https://www.dguv.de/ifa/...../limit-values-romania/index-2.jsp	http://www.mmuncii.ro/...../5114-11042018_modif_HG-1218_Ag_chimici.pdf
SGP	Singapore	https://www.dguv.de/ifa/...../limit-values-singapore/index-2.jsp	https://sso.agc.gov.sg/Act/WSHA2006...../limit-values-south-africa/index-2.jsp?query=webcode+e1179483
ZAF	South Africa	https://www.dguv.de/ifa/gestis/.....	
ZAF	South Africa Mining	https://www.dguv.de/ifa/gestis/.....	https://www.dguv.de/ifa/...../limit-values-south-africa-(mining-sector)/index-2.jsp?query=webcode+e1179566
SVK	Slovakia	http://www.ntic.sk/	
SVN	Slovenia	http://www.uk.gov.si/	
KOR	South Korea	https://www.dguv.de/ifa/...../limit-values-south-korea/index-2.jsp	http://www.kiha.kr/main/community_view.htm?uid=763&tbn=gongi&page=3
ESP	Spain	https://www.dguv.de/ifa/...../limit-values-spain/index-2.jsp	https://www.insst.es/
SWE	Sweden	https://www.dguv.de/ifa/...../limit-values-sweden/index-2.jsp	https://www.av.se/...../hygieniska-gransvarden-afs-20181-foreskrifter/
CHE	Switzerland	https://www.dguv.de/ifa/...../limit-values-switzerland/index-2.jsp	http://suissepro.org/
NLD	The Netherlands	https://www.dguv.de/ifa/...../limit-values-the-netherlands/index-2.jsp	https://www.ser.nl/en
TUR	Turkey	https://wetten.overheid.nl/BWBR0008587/2017-07-01#BijlageXIII	
USA	USA - NIOSH	https://www.dguv.de/ifa/...../limit-values-turkey/index-2.jsp	https://www.cdc.gov/niosh/
USA	USA - OSHA	https://www.dguv.de/ifa/...../limit-values-usa-osha/index-2.jsp	http://www.osha.gov
GBR	United Kingdom	https://www.dguv.de/ifa/...../limit-values-united-kingdom/index-2.jsp	https://www.hse.gov.uk/research/hsl_pdf/2002/hsl02-23.pdf

⁽¹⁾ ISO3161-1 alpha-3 ⁽²⁾ NO ISO CODE**16.6 Procedures used to derive classification under Regulation (EC)1272/2008 [CLP] in relation to mixtures**

Classification according to Regulation (EC) No. 1272/2008	Classification procedure
H317 Skin. Sens. 1B	Presence of component in concentration equal to or greater than the defined limit - Annex I, section. 3.4.3 - Sensitization of the respiratory tract or skin
H412 Aquatic Chronic 3	Additivity theory - Annex I, section 4.1.3 - Hazardous to the aquatic environment

TUSCANY GRAPE

Current revision date: 03/04/2024

Current revision number: 00

Previous revision date: --/--/----

Previous revision number: --

16.7 Any appropriate training courses for workers in order to ensure the protection of human health and the environment

- Training course on the management and interpretation of the SDS
- Training on the use of PPE

More information

Safety Data Sheet compliant with regulation (EU) n. 2020/878 of 18 June 2020

This document has been drawn up by a competent SDS technician who has received adequate training and is certified according to the reference practice UNI / PdR 60: 2019. Certificate issued by INTERTEK ITALIA S.p.A. Registration number: RSDS2020-00162 exp. 28-May 2025

The information in this safety data sheet has been obtained from the best available or known to us on the market at the revision date indicated. Neither the company holding this sheet nor its subsidiaries will be able to accept complaints arising from improper use of the information indicated here or from improper use in applying the product. Pay particular attention to the use of preparations because improper use can increase their danger.

END OF SAFETY DATA SHEET

This safety data sheet has been translated with an automatic system.
We thank all the people who want to report any anomalies in the translation.