

<div>Mr&Mrs</div> <div>FRAGRANCE</div>	MATERIAL SAFETY DATA SHEET		MIO
	AROMATIC WOOD		
Current revision date: 03/04/2024	Current revision number: 00	Previous revision date: --/--/----	Previous revision number: --

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Commercial name : AROMATIC WOOD
UFI : K520-M04N-R00M-6DWH
European product categorisation system (EuPCS): PC-AIR-4 - Air care products for vehicles

1.2 Relevant identified uses of the substance or mixture and uses advised against

Uses :	CONSUMER	PROFESSIONAL	INDUSTRIAL
	EVA air freshener for small rooms		
Uses advises against :	All those not expressly identified on the label		
Life cycle stages :	C-Consumer use		

1.3 Details of the supplier of the safety data sheet

Joy Fragrances s.r.l.
Via Gavinana, 14 - 21052 BUSTO ARSIZIO (VA) – Italy
tel. +39 0331 536942 - www.mrandmrsfragrance.com
email competent person info@joyfragrances.it

1.4 Emergency telephone number

Joy Fragrances s.r.l. - Tel +39 +39 0331 536942 – from 09,30 to 12,30 – from 15,30 to 19,30

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.1 Classification in accordance with Regulation (EC) No 1272/2008:

The product is classified as dangerous pursuant to the provisions of Regulation (EC) 1272/2008 (CLP) (and subsequent amendments and adjustments), the product therefore requires a safety data sheet compliant with the provisions of Regulation (EU) 2020/878.

Hazard pictogram(s) : GHS07
Hazard Class and Notes Category Code(s) : Skin. Sens. 1, Aquatic Chronic 3.
Hazard statement Code(s) : H317 - May cause an allergic skin reaction.
H412 - Harmful to aquatic life with long lasting effects

2.1.2 Adverse Effects

The product, if brought into contact with the skin, can cause skin sensitization. The product is dangerous for the environment as it is harmful to aquatic organisms with long lasting effects.

2.2 Label elements

2.2.1 Label in accordance with Regulation (EC) No 1272/2008

Hazard pictogram(s) : GHS07



Signal Word Code(s) : WARNING
Hazard statement Code(s) : H317 - May cause an allergic skin reaction.
H412 - Harmful to aquatic life with long lasting effects
Suppl. Hazard statement Code(s) : None
Precautionary statements :

General

P101 - If medical advice is needed, have product container or label at hand.
P102 - Keep out of reach of children.

Prevention

P264 - Wash hands thoroughly after handling.
P273 - Avoid release to the environment.

Response

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

Disposal

P501 - Dispose of contents/container in accordance with local/ national regulation.

Contains: nopyl acetate, linalyl acetate, linalool, tetramethyl acetyloctahydronaphthalenes, limonene, pelargonium asperum oil, dihydro terpinyl acetate (multi), 4-tert-butylcyclohexyl acetate, dihydro pentamethylindanone, 2,4-dimethyl-3-cyclohexene carboxaldehyde, trans-3-methyl-5-phenyl-2-pentenitrile.

2.2.2 Additional regulations to be implemented on the label

Regulation (EC) 648/2004 : Not applicable
Regulation (EU) 528/2012 : Not applicable

Additional information: Not a toy. Do not swallow. Do not leave the product exposed in environments with temperatures above 70°C. Do not use the product for purposes other than those intended. Only insert into the air vents. Avoid contact with shiny or metallic surfaces.

2.3 Other hazards

The mixture does NOT contain PBT / vPvB substances according to Regulation (EC) 1907/2006, annex XIII in concentrations equal to or greater than 0.1% by weight.
The mixture does NOT contain substances that have been included in the list established in accordance with Article 59, paragraph 1 due to properties of interference with the endocrine system in concentrations equal to or greater than 0.1% by weight.
The mixture does NOT contain a substance identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentrations equal to or greater than 0.1% by weight.

ISO 8317_Child-resistant packaging - Requirements and testing procedures for reclosable packages	Not applicable
EN 862_Child-resistant packaging - Requirements and testing procedures for non-reclosable packages for non-pharmaceutical products	Not applicable
Tactile warnings of danger (ISO 11683_Packaging - Tactile warnings of danger - Requirements)	Not applicable

<div>Mr&Mrs</div> <div>FRAGRANCE</div>	MATERIAL SAFETY DATA SHEET		MIO
	AROMATIC WOOD		
Current revision date: 03/04/2024	Current revision number: 00	Previous revision date: --/--/----	Previous revision number: --

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant

3.2 Mixtures

Refer to section 16 for the full text of the hazard statements.

Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
---	297-629-8	93685-81-5	01-2120752626-49	Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated	2.0 ≤ x < 2.5
			Classification	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)	Notes
Hazard Class and Category Code(s), Hazard Statement Code(s)			Supplementary Hazard Statement Code(s)	Pictograms, Signal Word Code(s)	
Flam. Liq. 3 H226, Asp. Tox. 1 H304, Aquatic Chronic 4 H413			EUH066	GHS02; GHS08 – DANGER	--
Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
---	242-362-4	18479-58-8	01-2119457274-37	2,6-dimethyloct-7-en-2-ol / dihydromyrcenol	1 ≤ x < 1,5
			Classification	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)	Notes
Hazard Class and Category Code(s), Hazard Statement Code(s)			Supplementary Hazard Statement Code(s)	Pictograms, Signal Word Code(s)	
Skin Irrit. 2 H315, Eye Irrit. 2 H319			--	GHS07, WARNING	--
Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
---	261-245-9	58430-94-7	01-2119972325-34	Trimethylhexyl acetate	1 ≤ x < 1,5
			Classification	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)	Notes
Hazard Class and Category Code(s), Hazard Statement Code(s)			Supplementary Hazard Statement Code(s)	Pictograms, Signal Word Code(s)	
Skin Irrit. 2 H315, Aquatic Chronic 2 H411			--	GHS07, GHS09 – WARNING	--
Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
---	266-803-5	67634-00-8	01-2120795456-39	Isoamyl allylglycolate / Allyl (3-methylbutoxy)acetate	1 ≤ x < 1,5
			Classification	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)	Notes
Hazard Class and Category Code(s), Hazard Statement Code(s)			Supplementary Hazard Statement Code(s)	Pictograms, Signal Word Code(s)	
Acute Tox. 4 H302, Skin Irrit. 2 H315			--	GHS07 – WARNING	--
Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
---	204-891-9	128-51-8	--	Nopyl acetate	1 ≤ x < 1,5
			Classification	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)	Notes
Hazard Class and Category Code(s), Hazard Statement Code(s)			Supplementary Hazard Statement Code(s)	Pictograms, Signal Word Code(s)	
Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Chronic 2 H411			--	GHS07, GHS09 – WARNING	--
Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
---	204-116-4	115-95-7	01-2119454789-19	Linalyl acetate	1 ≤ x < 1,5
			Classification	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)	Notes
Hazard Class and Category Code(s), Hazard Statement Code(s)			Supplementary Hazard Statement Code(s)	Pictograms, Signal Word Code(s)	
Skin Irrit. 2 H315, Skin Sens. 1B H317, Eye Irrit. 2 H319			--	GHS07 – WARNING	--
Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
--	232-357-5	8007-35-0	--	Terpineol acetate	1 ≤ x < 1,5
			Classification	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)	Notes
Hazard Class and Category Code(s), Hazard Statement Code(s)			Supplementary Hazard Statement Code(s)	Pictograms, Signal Word Code(s)	
Aquatic Chronic 2 H411			--	GHS09 – No signal words	--
Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
603-235-00-2	201-134-4	78-70-6	01-2119474016-42	Linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool	0,35 ≤ x < 0,4
			Classification	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)	Notes
Hazard Class and Category Code(s), Hazard Statement Code(s)			Supplementary Hazard Statement Code(s)	Pictograms, Signal Word Code(s)	
Skin Irrit. 2 H315, Skin Sens. 1B H317, Eye Irrit. 2 H319			--	GHS07 – WARNING	--
Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
---	915-730-3	54464-57-2	01-2119489989-04	Tetramethyl acetyloctahydronaphthalenes	0,35 ≤ x < 0,4
			Classification	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)	Notes
Hazard Class and Category Code(s), Hazard Statement Code(s)			Supplementary Hazard Statement Code(s)	Pictograms, Signal Word Code(s)	
Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Chronic 2 H411			--	GHS07, GHS09 – WARNING	--
Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
601-029-00-7	227-813-5	5989-27-5	01-2119529223-47	d-limonene / (R)-p-mentha-1,8-diene	0,25 ≤ x < 0,3
			Classification	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)	Notes
Hazard Class and Category Code(s), Hazard Statement Code(s)			Supplementary Hazard Statement Code(s)	Pictograms, Signal Word Code(s)	
Flam. Liq. 3 H226, Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Acute 1 H400, Aquatic Chronic 1 H410			--	GHS02, GHS07, GHS09 – WARNING	M=1 C
Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
--	--	--	--	Pelargonium asperum oil	0,25 ≤ x < 0,3
			Classification	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)	Notes
Hazard Class and Category Code(s), Hazard Statement Code(s)			Supplementary Hazard Statement Code(s)	Pictograms, Signal Word Code(s)	
Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin Sens. 1B H317			--	--	--
Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
---	268-979-9	68155-67-9	--	1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one (INCI: Tetramethyl Acetyloctahydronaphthalenes)	0,2 ≤ x < 0,25
			Classification	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)	Notes
Hazard Class and Category Code(s), Hazard Statement Code(s)			Supplementary Hazard Statement Code(s)	Pictograms, Signal Word Code(s)	
Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Chronic 1 H410			--	GHS07, GHS09 – WARNING	M=1
Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
---	268-978-3	68155-66-8	--	1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one (INCI: Tetramethyl Acetyloctahydronaphthalenes)	0,2 ≤ x < 0,25
			Classification	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)	Notes
Hazard Class and Category Code(s), Hazard Statement Code(s)			Supplementary Hazard Statement Code(s)	Pictograms, Signal Word Code(s)	
Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Chronic 1 H410			--	GHS07, GHS09 – WARNING	M=1
Index number	EC/List n°.	CAS	REACH	International Chemical Identification	X= Conc. %
---	939-728-7	--	01-2119983293-30	Dihydro Terpinyl acetate	0,2 ≤ x < 0,25
			Classification	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)	Notes
Hazard Class and Category Code(s), Hazard Statement Code(s)			Supplementary Hazard Statement Code(s)	Pictograms, Signal Word Code(s)	
Skin Sens. 1B H317, Eye Irrit. 2 H319, Aquatic Chronic 2 H411			--	GHS07, GHS09 – WARNING	--

<div>Mr&Mrs</div> <div>FRAGRANCE</div>	MATERIAL SAFETY DATA SHEET		MIO
	AROMATIC WOOD		
Current revision date: 03/04/2024	Current revision number: 00	Previous revision date: --/--/----	Previous revision number: --

Index number	EC/List n°.	CAS	REACH	International Chemical Identification		X= Conc. %
---	268-264-1	68039-49-6	--	2,4-dimethylcyclohex-3-ene-1-carbaldehyde		0,1 ≤ x < 0,15
Hazard Class and Category Code(s), Hazard Statement Code(s)			Classification	Pictograms, Signal Word Code(s)	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)	Notes
Skin Irrit. 2 H315, Skin Sens. 1 H317, Eye Irrit. 2, H319, Aquatic Chronic 2 H411			--	GHS07, GHS09 - DANGER	--	--
Index number	EC/List n°.	CAS	REACH	International Chemical Identification		X= Conc. %
---	258-447-4	53243-60-0	---	Trans-3-methyl-5-phenyl-2-pentenitrile		0,05 ≤ x < 0,1
Hazard Class and Category Code(s), Hazard Statement Code(s)			Classification	Pictograms, Signal Word Code(s)	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)	Notes
Acute Tox. 4 H302, Skin Sens. 1A H317, Aquatic Chronic 3 H412			--	GHS07 -- WARNING	--	--

SECTION 4: First aid measures

4.1 Description of first aid measures

First aid instructions categorized according to relevant routes of exposure. It is advisable for those who provide first aid to wear the personal protective equipment deemed suitable for the conditions in which the intervention is to be carried out.

Inhalation

Given the specificity of the product and the small quantities of substances released, conditions such as to require first aid measures are not foreseen.

Skin

Wash the areas of the body that have come into contact with the product with plenty of soap and water, even if they are only suspected.

Eyes

Given the particular structure of the product, accidental contacts are unpredictable and mainly of traumatic and/or voluntary origin. If necessary, apply fresh compresses and, if the painful phenomena continue, contact the medical staff.

Ingestion

SEEK MEDICAL ATTENTION IMMEDIATELY.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation

They are not known and there are no specific reports on symptoms and effects caused by the product.

Skin

They are not known and there are no specific reports on symptoms and effects caused by the product.

Eyes

Redness.

Ingestion

They are not known and there are no specific reports on symptoms and effects caused by the product.

4.3 Indication of any immediate medical attention and special treatment needed

See section 4.1 Description of first aid measures.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray, CO₂, alcohol resistant foam, chemical powders depending on the materials involved in the fire.

Unsuitable extinguishing media : None in particular

5.2 Special hazards arising from the substance or mixture

During combustion, fumes that are potentially harmful to health may develop. If exposed to flame, it catches fire and continues to burn with a dimly lit flame even if removed from the heat source.

5.3 Advice for firefighters

Use protective clothing for the respiratory tract, eyes and skin. Water spray can be used to disperse vapors and protect people engaged in firefighting. It is also advisable to use self-contained breathing apparatus, especially if you work in closed and poorly ventilated places. Wear the specific protective equipment of the firefighting team. Given the polymeric characteristic of the material, the possible presence of considerable quantities of product in the environments involved in the fire can be a source of risk in causing the re-ignition of the fire in the presence of oxygen since the internal layers can conserve heat. It is therefore necessary, in the event of a fire in environments where large quantities of product have been involved, to dissipate the heat retained inside.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : Move away from the area surrounding the spill or release. Not smoking.

For emergency responders : General information: No smoking. Use suitable personal protective equipment, see Section 8.

6.2 Environmental precautions

Contain leaks with inert material. Avoid dispersion and/or washout in sewers and surface waters. Dispose of the residue according to current regulations.

6.3 Methods and material for containment and cleaning up

6.3.1 Appropriate advice shall be provided on how to contain a spill

Keep dry.

6.3.2 Appropriate advice shall be provided on how to clean-up a spill

After collection, wash the affected area and materials with plenty of water and recover the resulting fluids.

6.3.3 Any other information shall be provided relating to spills and releases, including advice on inappropriate containment or clean-up techniques

Hand over waste only to specialized companies

6.4 Reference to other sections

Refer to sections 8 and 13 for more information

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Normal precautions for handling sensitizing chemical products, protecting themselves from any accidental contact. Do not smoke, eat or drink while handling.

<div>Mr&Mrs</div> <div>FRAGRANCE</div>	MATERIAL SAFETY DATA SHEET		MIO
	AROMATIC WOOD		
Current revision date: 03/04/2024	Current revision number: 00	Previous revision date: --/--/----	Previous revision number: --

7.2 Conditions for safe storage, including any incompatibilities

How to manage risks associated with:	
i) explosive atmospheres	Nothing to report
ii) corrosive conditions	Nothing to report
iii) flammability hazards	Nothing to report
iv) incompatible substances or mixtures	Avoid contact with solvents which could damage the product.
v) evaporative conditions	Keep in the original packaging, in well-ventilated areas at room temperature.
vi) potential ignition sources (including electrical equipment)	Keep away from open flames, sparks and sources of ignition in general. Appropriate maintenance of all the electrical components of machines, systems and electrical installations in general can give a sufficient guarantee of reducing the risk of fire.
How to control the effects of:	
i) weather conditions	Store indoors in dry environments.
ii) ambient pressure	Nothing to report
iii) Temperature	Store at room temperature
iv) sunlight	Do not store in direct sunlight.
v) humidity	Keep away from humidity.
vi) Vibration	Nothing to report
How to maintain the integrity of the substance or mixture by the use of:	
i) stabilisers	Nothing to report
ii) antioxidants	Nothing to report
Other advice including	
i) ventilation requirements	Keep in cool and ventilated places.
ii) specific designs for storage rooms or vessels (including retention walls and ventilation)	Nothing to report
iii) quantity limits under storage conditions (if relevant)	Keep in cool and ventilated places.
iv) packaging compatibilities	Nothing to report
v) Storage class	Not applicable

7.3 Specific end use(s)

Consumer: Follow the instructions given on the label/box/information leaflets.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Related to the substances contained

Substance:	Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated									
CAS:	93685-81-5									
GESTIS International Limit Values										
		Limit value – Eight hours					Limit value – Short term			
		ppm		mg/m³			ppm		mg/m³	
		--		--			--		--	
		Remarks								
		--								
https://echa.europa.eu/it/registration-dossier/-/registered-dossier/13879										
DNEL (Workers)					DNEL (Population)					
	Systemic		Local			Systemic		Local		
	Long term	Short term	Long term	Short term		Long term	Short term	Long term	Short term	
Inhalation	No hazard identified		No hazard identified		Inhalation	No hazard identified		No hazard identified		
Dermal	No hazard identified		No hazard identified		Dermal	No hazard identified		No hazard identified		
Oral	Not available		Not available		Oral	No hazard identified		Not available		
Eyes	Not available		No hazard identified		Eyes	Not available		No hazard identified		
PNEC										
Freshwater	No data available: testing technically not feasible		Intermittent	Not available		Marine water		No data available: testing technically not feasible		
STP	No data available: testing technically not feasible		Sediment (freshwater)	No data available: testing technically not feasible		Sediment (marine water)		No data available: testing technically not feasible		
Air	No hazard identified		Soil	No data available: testing technically not feasible		Hazard for predators		No data available: testing technically not feasible		

Substance:	2,6-dimethyloct-7-en-2-ol / dihydromyrcenol									
CAS:	18479-58-8									
GESTIS International Limit Values										
		Limit value - Eight hours					Limit value - Short term			
		ppm		mg/m³			ppm		mg/m³	
		--		--			--		--	
		Remarks								
		--								
https://echa.europa.eu/it/registration-dossier/-/registered-dossier/15832										
DNEL (Workers)					DNEL (Population)					
	Systemic		Local			Systemic		Local		
	Long term	Short term	Long term	Short term		Long term	Short term	Long term	Short term	
Inhalation	73.5 mg/m³	No hazard identified	No hazard identified		Inhalation	21.7 mg/m³	No hazard identified	No hazard identified		
Dermal	20.8 mg/kg bw/day	No hazard identified	No hazard identified		Dermal	12.5 mg/kg bw/day	No hazard identified	No hazard identified		
Oral	Not available		Not available		Oral	12.5 mg/kg bw/day	No hazard identified	Not available		
Eyes	Not available		No hazard identified		Eyes	Not available		No hazard identified		
PNEC										
Freshwater	27.8 µg/L		Intermittent	0.278 µg/L		Marine water	2.78 µg/L			
STP	10 mg/L		Sediment (freshwater)	0.594 mg/kg sediment dw		Sediment (marine water)	0.059 mg/kg sediment dw			
Air	No hazard identified		Soil	0.103 mg/kg soil dw		Hazard for predators	111 mg/kg food			

Mr&Mrs FRAGRANCE	MATERIAL SAFETY DATA SHEET				MIO				
	AROMATIC WOOD								
Current revision date: 03/04/2024		Current revision number: 00		Previous revision date: --/--/----		Previous revision number: --			
Substance:		Trimethylhexyl acetate							
CAS:		58430-94-7							
GESTIS International Limit Values									
		Limit value - Eight hours				Limit value - Short term			
		ppm		mg/m³		ppm		mg/m³	
		--		--		--		--	
		Remarks							
		--							
https://echa.europa.eu/it/registration-dossier/-/registered-dossier/13930									
DNEL (Workers)				DNEL (Population)					
		Systemic		Local					
		Long term		Short term		Long term		Short term	
Inhalation		5.64 mg/m³		No hazard identified		No hazard identified		No hazard identified	
Dermal		0.8 mg/kg bw/day		No hazard identified		No hazard identified		No hazard identified	
Oral		Not available		Not available		No hazard identified		Not available	
Eyes		Not available		No hazard identified		Not available		No hazard identified	
PNEC									
Freshwater		7.7 µg/L		Intermittent		77 µg/L		Marine water	
STP		10 mg/L		Sediment (freshwater)		2.895 mg/kg sediment dw		Sediment (marine water)	
Air		No hazard identified		Soil		0.573 mg/kg soil dw		Hazard for predators	
								No potential for bioaccumulation	
Substance:		Isoamyl allylglycolate / Allyl (3-methylbutoxy)acetate							
CAS:		67634-00-8							
GESTIS International Limit Values									
		Limit value – Eight hours				Limit value – Short term			
		ppm		mg/m³		ppm		mg/m³	
		--		--		--		--	
		Remarks							
		--							
--									
DNEL (Workers)				DNEL (Population)					
		Systemic		Local					
		Long term		Short term		Long term		Short term	
Inhalation		4.93 mg/m³		No hazard identified		No hazard identified		No hazard identified	
Dermal		1.4 mg/kg bw/day		No hazard identified		No hazard identified		No hazard identified	
Oral		Not available		Not available		No hazard identified		Not available	
Eyes		Not available		No hazard identified		Not available		No hazard identified	
PNEC									
Freshwater		0.77 µg/L		Intermittent		7.7 µg/L		Marine water	
STP		No hazard identified		Sediment (freshwater)		8.93 µg/kg sediment dw		Sediment (marine water)	
Air		No hazard identified		Soil		1.33 µg/kg soil dw		Hazard for predators	
								Insufficient hazard data available (further information necessary)	
Substance:		Linalyl acetate							
CAS:		115-95-7							
GESTIS International Limit Values									
		Limit value - Eight hours				Limit value - Short term			
		ppm		mg/m³		ppm		mg/m³	
		--		--		--		--	
		Remarks							
		--							
https://echa.europa.eu/it/registration-dossier/-/registered-dossier/14484									
DNEL (Workers)				DNEL (Population)					
		Systemic		Local					
		Long term		Short term		Long term		Short term	
Inhalation		2.75 mg/m³		No hazard identified		No hazard identified		No hazard identified	
Dermal		2.5 mg/kg bw/day		No hazard identified		236.2 µg/cm²		236.2 µg/cm²	
Oral		Not available		Not available		0.2 mg/kg bw/day		Not available	
Eyes		Not available		Low hazard (no threshold derived)		Not available		Low hazard (no threshold derived)	
PNEC									
Freshwater		0.011 mg/L		Intermittent		0.11 mg/L		Marine water	
STP		10 mg/L		Sediment (freshwater)		0.609 mg/kg sediment dw		Sediment (marine water)	
Air		No hazard identified		Soil		0.115 mg/kg soil dw		Hazard for predators	
								No potential for bioaccumulation	
Substance:		Linalool							
CAS:		78-70-6							
GESTIS International Limit Values									
		Limit value - Eight hours				Limit value - Short term			
		ppm		mg/m³		ppm		mg/m³	
		--		--		--		--	
		Remarks							
		--							
https://echa.europa.eu/it/registration-dossier/-/registered-dossier/14501									
DNEL (Workers)				DNEL (Population)					
		Systemic		Local					
		Long term		Short term		Long term		Short term	
Inhalation		24.58 mg/m³		No hazard identified		Low hazard (no threshold derived)		Low hazard (no threshold derived)	
Dermal		3.5 mg/kg bw/day		No hazard identified		3 mg/cm²		1.5 mg/cm²	
Oral		Not available		Not available		2.49 mg/kg bw/day		Not available	
Eyes		Not available		Low hazard (no threshold derived)		Not available		Low hazard (no threshold derived)	

Mr&Mrs FRAGRANCE		MATERIAL SAFETY DATA SHEET				MIO	
		AROMATIC WOOD					
Current revision date: 03/04/2024		Current revision number: 00		Previous revision date: --/--/----		Previous revision number: --	
PNEC							
Freshwater		0.2 mg/L		Intermittent		2 mg/L	
STP		10 mg/L		Sediment (freshwater)		2.22 mg/kg sediment dw	
Air		Not available		Soil		0.327 mg/kg soil dw	
						Marine water	
						0.02 mg/L	
						Sediment (marine water)	
						0.222 mg/kg sediment dw	
						Hazard for predators	
						7.8 mg/kg food	
Substance:		Tetramethyl acetyloctahydronaphthalenes					
CAS:		54464-57-2					
GESTIS International Limit Values							
		Limit value - Eight hours				Limit value - Short term	
		ppm		mg/m³		ppm	
		--		--		--	
		Remarks					
		--					
https://echa.europa.eu/it/registration-dossier/-/registered-dossier/15069							
DNEL (Workers)				DNEL (Population)			
		Systemic		Local			
		Long term		Short term		Long term	
		Short term		Long term		Short term	
Inhalation		30 mg/m³		no hazard identified		Inhalation	
		no hazard identified		no hazard identified		9 mg/m³	
						no hazard identified	
						no hazard identified	
Dermal		28.7 mg/kg bw/day		648 µg/cm²		Dermal	
		no hazard identified		low hazard (no threshold derived)		17.2 mg/kg bw/day	
						no hazard identified	
						380 µg/cm²	
						low hazard (no threshold derived)	
Oral		Not available		Not available		Oral	
		Not available		no hazard identified		3 mg/kg bw/day	
						no hazard identified	
						Not available	
Eyes		Not available		no hazard identified		Eyes	
						Not available	
						no hazard identified	
PNEC							
Freshwater		4.4 µg/L		Intermittent		Not available	
STP		10 mg/L		Sediment (freshwater)		3.73 mg/kg sediment dw	
Air		no hazard identified		Soil		2.7 mg/kg soil dw	
						Marine water	
						0.44 µg/L	
						Sediment (marine water)	
						0.75 mg/kg sediment dw	
						Hazard for predators	
						26.7 mg/kg food	
Substance:		d-Limonene					
CAS:		5989-27-5					
GESTIS International Limit Values							
		Limit value - Eight hours				Limit value - Short term	
		ppm		mg/m³		ppm	
		25		140		50 (1)	
Finland		5		28		280 (1)	
Germany (AGS)		5		28		110 (1)	
Germany (DFG)		7		40		112 (1)	
Switzerland						80 (1)	
		Remarks					
Finland		(1) 15 minutes average value					
Germany (AGS)		(1) 15 minutes reference period					
Germany (DFG)		(1) 15 minutes average value					
Switzerland		(1) 15 minutes average value					
https://echa.europa.eu/it/registration-dossier/-/registered-dossier/15256							
DNEL (Workers)				DNEL (Population)			
		Systemic		Local			
		Long term		Short term		Long term	
		Short term		Long term		Short term	
Inhalation		66.7 mg/m³		No hazard identified		Inhalation	
		No hazard identified		No hazard identified		16.6 mg/m³	
						No hazard identified	
						No hazard identified	
Dermal		9.5 mg/kg bw/day		Medium hazard (no threshold derived)		Dermal	
		No hazard identified				4.8 mg/kg bw/day	
						No hazard identified	
						No hazard identified	
Oral		Not available		Not available		Oral	
		Not available		No hazard identified		4.8 mg/kg bw/day	
						No hazard identified	
Eyes		Not available		No hazard identified		Eyes	
						Not available	
						Not available	
PNEC							
Freshwater		14 µg/L		Intermittent		Not available	
STP		1,8 mg/L		Sediment (freshwater)		3.85 mg/kg sediment dw	
Air		No hazard identified		Soil		0.763 mg/kg soil dw	
						Marine water	
						1.4 µg/L	
						Sediment (marine water)	
						0.385 mg/kg sediment dw	
						Hazard for predators	
						133 mg/kg food	
Substance:		1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one (INCI: Tetramethyl Acetyloctahydronaphthalenes)					
CAS:		68155-67-9					
GESTIS International Limit Values							
		Limit value - Eight hours				Limit value - Short term	
		ppm		mg/m³		ppm	
		--		--		--	
		Remarks					
		--					
--							
DNEL (Workers)				DNEL (Population)			
		Systemic		Local			
		Long term		Short term		Long term	
		Short term		Long term		Short term	
Inhalation		30 mg/m³		No hazard identified		Inhalation	
		No hazard identified		No hazard identified		9 mg/m³	
						No hazard identified	
						No hazard identified	
Dermal		28.7 mg/kg bw/day		648 µg/cm²		Dermal	
		No hazard identified		Low hazard (no threshold derived)		17.2 mg/kg bw/day	
						No hazard identified	
						380 µg/cm²	
						Low hazard (no threshold derived)	
Oral		Not available		Not available		Oral	
		Not available		No hazard identified		3 mg/kg bw/day	
						No hazard identified	
						Not available	
Eyes		Not available		No hazard identified		Eyes	
						Not available	
						No hazard identified	
PNEC							
Freshwater		4.4 µg/L		Intermittent		Not available	
STP		10 mg/L		Sediment (freshwater)		3.73 mg/kg sediment dw	
Air		No hazard identified		Soil		2.7 mg/kg soil dw	
						Marine water	
						0.44 µg/L	
						Sediment (marine water)	
						0.75 mg/kg sediment dw	
						Hazard for predators	
						26.7 mg/kg food	
Substance:		1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one (INCI: Tetramethyl Acetyloctahydronaphthalenes)					
CAS:		68155-66-8					
GESTIS International Limit Values							

Mr&Mrs FRAGRANCE	MATERIAL SAFETY DATA SHEET						MIO		
	AROMATIC WOOD								
Current revision date: 03/04/2024		Current revision number: 00		Previous revision date: --/--/----		Previous revision number: --			
		Limit value - Eight hours			Limit value - Short term				
		ppm		mg/m³	ppm		mg/m³		
		--		--	--		--		
		Remarks							
		--							
--									
DNEL (Workers)					DNEL (Population)				
	Systemic		Local			Systemic		Local	
	Long term	Short term	Long term	Short term		Long term	Short term	Long term	Short term
Inhalation	30 mg/m³	No hazard identified	No hazard identified		Inhalation	9 mg/m³	No hazard identified	No hazard identified	
Dermal	28.7 mg/kg bw/day	No hazard identified	648 µg/cm²	Low hazard (no threshold derived)	Dermal	17.2 mg/kg bw/day	No hazard identified	380 µg/cm²	Low hazard (no threshold derived)
Oral	Not available		Not available		Oral	3 mg/kg bw/day	No hazard identified	Not available	
Eyes	Not available		No hazard identified		Eyes	Not available		No hazard identified	
PNEC									
	Freshwater	4.4 µg/L	Intermittent		Not available		Marine water	0.44 µg/L	
	STP	10 mg/L	Sediment (freshwater)		3.73 mg/kg sediment dw		Sediment (marine water)	0.75 mg/kg sediment dw	
	Air	No hazard identified	Soil		2.7 mg/kg soil dw		Hazard for predators	26.7 mg/kg food	
Substance:		Dihydro Terpinyl acetate							
CAS:		-- EC: 939-728-7							
GESTIS International Limit Values									
		Limit value - Eight hours			Limit value - Short term				
		ppm		mg/m³	ppm		mg/m³		
		--		--	--		--		
		Remarks							
		--							
https://echa.europa.eu/it/registration-dossier/-/registered-dossier/10720									
DNEL (Workers)					DNEL (Population)				
	Systemic		Local			Systemic		Local	
	Long term	Short term	Long term	Short term		Long term	Short term	Long term	Short term
Inhalation	3.51 mg/m³	No hazard identified	Hazard unknown (no further information necessary)		Inhalation	0.85 mg/m³	No hazard identified	No hazard identified	Hazard unknown (no further information necessary)
Dermal	1 mg/kg bw/day	No hazard identified	233.3 µg/cm²	No hazard identified	Dermal	0.5 mg/kg bw/day	No hazard identified	No hazard identified	
Oral	Not available		Not available		Oral	0.5 mg/kg bw/day	No hazard identified	Not available	
Eyes	Not available		Low hazard (no threshold derived)		Eyes	Not available		Low hazard (no threshold derived)	
PNEC									
	Freshwater	2.27 µg/L	Intermittent		22.7 µg/L		Marine water	0.2227 µg/L	
	STP	1.7 mg/L	Sediment (freshwater)		0.254 mg/kg sediment dw		Sediment (marine water)	25.4 µg/kg sediment dw	
	Air	No hazard identified	Soil		49.4 µg/kg soil dw		Hazard for predators	19.92 mg/kg food	
Substance:		4-tert-butylcyclohexyl acetate							
CAS:		32210-23-4							
GESTIS International Limit Values									
		Limit value - Eight hours			Limit value - Short term				
		ppm		mg/m³	ppm		mg/m³		
		--		--	--		--		
		Remarks							
		--							
Link DNEL value	https://echa.europa.eu/it/registration-dossier/-/registered-dossier/15158								
DNEL (Workers)					DNEL (Population)				
	Systemic		Local			Systemic		Local	
	Long term	Short term	Long term	Short term		Long term	Short term	Long term	Short term
Inhalation	No hazard identified		No hazard identified		Inhalation	No hazard identified		No hazard identified	
Dermal	No hazard identified		Medium hazard (no threshold derived)		Dermal	No hazard identified		Medium hazard (no threshold derived)	
Oral	Not available		Not available		Oral	No hazard identified		Not available	
Eyes	Not available		No hazard identified		Eyes	Not available		No hazard identified	
PNEC									
	Freshwater	5.3 µg/L	Intermittent		53 µg/L		Marine water	12.2 mg/L	
	STP	12.2 mg/L	Sediment (freshwater)		2.01 mg/kg sediment dw		Sediment (marine water)	0.21 mg/kg sediment dw	
	Air	No hazard identified	Soil		0.42 mg/kg soil dw		Hazard for predators	66.67 mg/kg food	
Substance:		Dihydro pentamethylindanone							
CAS:		33704-61-9							
GESTIS International Limit Values									
		Limit value - Eight hours			Limit value - Short term				
		ppm		mg/m³	ppm		mg/m³		
		--		--	--		--		
		Remarks							
		--							
https://echa.europa.eu/it/registration-dossier/-/registered-dossier/15957									
DNEL (Workers)					DNEL (Population)				
	Systemic		Local			Systemic		Local	
	Long term	Short term	Long term	Short term		Long term	Short term	Long term	Short term
Inhalation	1.47 mg/m³	No hazard identified	No hazard identified		Inhalation	0.44 mg/m³	No hazard identified	No hazard identified	
Dermal	0.42 mg/kg bw/day	No hazard identified	5 510 µg/cm²	Low hazard (no threshold derived)	Dermal	0.25 mg/kg bw/day	No hazard identified	3 241 µg/cm²	Low hazard (no threshold derived)
Oral	Not available		Not available		Oral	0.25 mg/kg bw/day	No hazard identified	Not available	

<div>Mr&Mrs</div> <div>FRAGRANCE</div>		MATERIAL SAFETY DATA SHEET				MIO	
		AROMATIC WOOD					
Current revision date: 03/04/2024		Current revision number: 00		Previous revision date: --/--/----		Previous revision number: --	
Eyes	Not available		Low hazard (no threshold derived)		Eyes	Not available	
PNEC							
Freshwater		0.004 mg/L		Intermittent		Not available	
STP		10 mg/L		Sediment (freshwater)		99.1 µg/kg sediment dw	
Air		No hazard identified		Soil		17.4 µg/kg soil dw	
				Marine water		0.00 mg/L	
				Sediment (marine water)		9.91 µg/kg sediment dw	
				Hazard for predators		1.11 mg/kg food	

8.2 Exposure controls

8.2.1 Appropriate engineering controls

If, following the risk assessment and the adoption of preventive technical and/or organizational collective protection measures, it appears that there is still a residual risk for the worker, it is necessary to equip the worker with Personal Protective Equipment. In any company, however, the instructions given by the Head of the Prevention and Protection Service must be complied with, who will have assessed the risk deriving from all the products used in each working phase. Before choosing the PPE to wear, it is essential to know the risks associated with the work environment, the environmental conditions, the job of the wearer and after having consulted the instructions provided by the manufacturer. All PPE belonging to the third category must be delivered to operators only after adequate training.


The use of this mixture does not imply the application of Directive 2004/37 / EC on the protection of workers against the risks deriving from exposure to carcinogens or mutagens at work.

Descriptor for Process categories: PROC19 - Manual activities involving hand contact

8.2.2 Individual protection measures, such as personal protective equipment

The information below must be considered only as an aid to the Head of the Prevention and Protection Service as in addition to this mixture he will have to implement the choices on PPE also in consideration of the other chemical products present in the company used in each specific working phase.

a) EYE/FACE PROTECTION


PITTOGRAM	PPE	METHOD OF CHOOSING THE PPE				
 Eye and face protection devices	PPE for the eyes are second category and must be provided with indelible CE marking and the number of the Notified Body that issued the certification. Their use is foreseen in all places where there is a risk of projections of solid bodies, liquids or optical radiation. For eyeglass wearers, it is possible to use over glasses if the duration of use is limited or to mount graduated lenses on safety frames. Operators wearing contact lenses must make their condition known in order to make it easier, if necessary, to remove them by first aid workers in case of need in an emergency. Standard EN166 Personal eye protection - Specifications	RISK CHARACTERISTICS	PROTECTION			
			Eyeglasses	Glasses with side shields	Mask glasses	Face shield
		Frontal sketches	Good	Good	Excellent	Excellent
		Side sketches	Scarso	Good	Excellent	Good / Excellent
		Frontal splinters	Excellent	Good	Excellent	Excellent if of adequate thickness
		Side impacts	Scant	Fairly good	Excellent	It depends on the length
		Neck and face protection	Scant	Scant	Scant	Fairly good
		Wearability	Good / Very good	Good	Fairly good	Good (for short periods)
		Continuous use	Very good	Very good	Fairly good	Fairly good
		Acceptability for use	Very good	Good	Scant	Fairly good

The Head of the Prevention and Protection Service will assess the need to provide eyewash devices near the areas where the mixture is used.

IN NORMAL USE THERE ARE NO PERSONAL PROTECTIVE EQUIPMENT PROVIDED

b) SKIN PROTECTION


i) Hand protection



PITTOGRAM	PPE	METHOD OF CHOOSING THE PPE				
 Gloves	<p>The choice of gloves depends on the worker's job, the characteristics of the glove and its biocompatibility. The "grip" must always be guaranteed. The general requirements for choosing the most suitable PPE are: harmlessness, ergonomics / comfort, dexterity, transmission and absorption of water vapor and cleaning. Regarding these requirements, the reference technical standard is UNI EN 420 - Protective gloves. General requirements and test methods. Gloves that protect against chemicals are regulated by EN374 - Protective gloves against chemicals and microorganisms. The basic requirements for this type of gloves are: penetration and permeation. Chemical protective gloves are divided into three categories: Type A, B and C; the belonging to which depends on the number of chemicals tested, from a list of 18 substances that have reached a defined permeation time. Gloves must be checked before use. The choice of gloves based on resistance must be made following the UNI EN 16523 standard - Determination of the resistance of materials to the permeation of chemical products. Use proper technique to remove gloves avoiding skin contact with the contaminated outer surface of the glove.</p> <p>After use, wash and dry your hands.</p>	CHEMICAL PROTECTION				
		Type	Level	Time	Substances	
		A	2	30 minutes	minimum 6	
		B	2	30 minutes	minimum 3	
		C	1	10 minutes	minimum 1	
		MATERIALS FOR PROTECTION FROM CHEMICAL AGENTS				
			LATEX	NEOPRENE	NITRILE	PVC
		Highlights	Excellent flexibility and tear resistance	Polyvalent chemical resistance: acids, aliphatic solvents. Good resistance to sunlight and ozone.	Excellent resistance to abrasion and perforation. Excellent resistance to hydrocarbon derivatives	Good resistance to acids and bases
		Precautions	It can cause allergic reactions. Avoid contact with fatty oils and hydrocarbon derivatives.	Avoid contact with fatty oils and hydrocarbon derivatives	Avoid contact with solvents containing ketones and oxidizing acids, organic nitrogen products.	Weak mechanical resistance. Avoid contact with solvents containing ketones and aromatic solvents

The Head of the Prevention and Protection Service will evaluate the choice of PPE to be used based on the duties.

USE WATERPROOF GLOVES

ii) other

PITTOGRAM	PPE	METHOD OF CHOOSING THE PPE				
 Work clothing	PPE for the body can be of different categories depending on their specific use. Under normal working conditions, normal work clothing offers characteristics that provide sufficient protection for workers. In activities presenting particular risks, specific “protective clothing” should be used which covers or replaces personal clothing and which is designed with specific protective characteristics. The basic requirements relating to the ergonomics and health of PPE for the body are: harmlessness of the materials, comfort and effectiveness factors, design, thermal resistance of the clothing and the characteristics of the operators. Please note that to ensure adequacy and mobility with full-coverage protective clothing, it is recommended that all	DANGER	Full coverage garment		Partial coverage garment	
			Waterproof	Permeable to air	Waterproof	Permeable to air
		Gas and fumes	A	NO	NO	NO
		Jets of liquids	A	NO	P	NO
		Splashes and splashes	A	P	P	P
		Dust	A	A	P	P
		Dirt	A	A	A	A
		NO: indicates that the possibility is not compatible - A: suitable combination - P: combination that depends on external conditions				
		The protective clothing against chemicals, depending on the barrier performance of the raw material used and the packaging of the garment, have different types of protection: Type 1 (gas-tight), Type 2 (non-watertight gas), Type 3 (liquid tight), Type 4 (splash tight), Type 5 (dust tight), Type 6 (limited liquid splash tight). The chemical risks are many and it is therefore necessary to choose the most appropriate garment, also considering that the materials can be both waterproof and permeable, evaluating the combination between the type of protection offered by the				

Mr&Mrs FRAGRANCE		MATERIAL SAFETY DATA SHEET		MIO			
AROMATIC WOOD							
Current revision date: 03/04/2024		Current revision number: 00		Previous revision date: --/--/----			
				Previous revision number: --			
		operators carry out the "seven movements" test. Standard EN 13688 Protective clothing - General requirements		construction techniques and the design adopted for the realization of the garment. itself and the performance class from the raw material.			
If the Head of the Prevention and Protection Service deems it necessary, protective clothing can be worn in combination with an appropriate respiratory protection device and with boots, gloves or other means of protection.							
NO PERSONAL PROTECTIVE EQUIPMENT IS REQUIRED IN NORMAL USE							
c) RESPIRATORY PROTECTION							
PITTOGRAM		PPE		METHOD OF CHOOSING THE PPE			
 RPD (Respiratory protective devices)	PPE for respiratory protection are of the third category and must be provided with CE marking, the number of the Notified Body that issued the certification and must be provided only after information, training and specific training on their use. To define the type of RPD to use, pay attention to the oxygen rate present in the workplace, using the O ₂ concentration of 17% as a limit. Carefully define the type of contaminant (Gas, steam / Dust, particles, viruses), its detection threshold and its use or not in a confined space. The UNI EN 529 standard (Respiratory protection devices - Recommendations for selection, use, care and maintenance - Guidance document) establishing the appropriate FPO value "operational protection factor" (eg use of face masks as per standard UNI EN149 - Respiratory protective devices - Filtering half mask against particles) can be a valid aid in determining the most correct PPE.		DUST FILTERS				
			Efficiency	Dust class	RPD class and marking	Minimum total filtering efficiency	Protection
			LOW	Filters P1	Respirators FFP1	78%	Powders/Harmful aerosol
			AVERAGE	Filters P2	Respirators FFP2	92%	Powders/fumes/ low toxicity aerosol
			HIGH	Filters P3	Respirators FFP3	98%	Powders/fumes / Harmful aerosol
			GAS FILTERS				
			Capacity	Class	Maximum concentration		
			Low	1	Gas / vapor concentrations up to 1000 ppm		
			Average	2	Gas / vapor concentrations up to 5000 ppm		
			High	3	Gas / vapor concentrations up to 10000 ppm		
	TYPE OF FILTERS						
	Type	Protection			Filter color		
	A	Organic gases and vapors with a boiling point> 65 ° C			BROWN		
	B	Inorganic gases and vapors			GREY		
	E	Acid gases			YELLOW		
K	Ammonia and derivatives			GREEN			
P	Toxic dusts, fumes, mists			WHITE			
AX (EN371)	Low boiling point organic gases and vapors <65 ° C			BROWN			
FACTORS TO CONSIDER		REASON		DUST FILTER RESPIRATORS			
Type of substance	Correct choice of filter type		Filter respirator	Nominal Protection Factor	Operational Protection Factor		
Concentrations	Need / opportunity to protect other parts of the face (eyes - face) Filter capacity in relation to exposure time		Facial Filter FFP1 Half mask + P1	4	4		
Visibility	Reduction of protection		Facial Filter FFP2 Half mask + P2	12	10		
Freedom of movement	Reduction of weight and discomfort		Facial Filter FFP3 Half mask + P3	50	30		
Facial anatomy	Mask adequacy		Full face + P1	5	4		
Environmental conditions			Full face + P2	20	15		
			Full face + P3	1000	400		
The Head of the Prevention and Protection Service, as well as correctly defining the specific PPE for the activities, must pay attention to follow the instructions provided by the manufacturers of the various PPE.							
NO PERSONAL PROTECTIVE EQUIPMENT IS REQUIRED IN NORMAL USE							
d) THERMAL HAZARDS							
PITTOGRAM		PPE		OBSERVATIONS			
 Hot/Cold	The indications provided in this section define the PPE intended to protect against possible temperature variations that the mixture causes or that the mixture itself may undergo during normal working activities. PPE must protect against excesses in external temperature by maintaining body temperature, thermally insulate while maintaining permeability to water and air to ensure sweating and moisture removal, respectively, so as not to cause heat loss. In order to protect themselves from the cold, PPE must retain a degree of flexibility that allows the operator to perform the necessary actions and to assume certain positions. PPE intended for short-term interventions or likely to receive projections of hot products, must have a calorific capacity sufficient to return most of the stored heat only after the user has removed them.		PPE intended to protect against thermal differences must have an adequate heat flow transmission coefficient to avoid any risk of damage as required by the foreseeable conditions of use. The heat flow transmitted to the operator during the use of PPE must be such that its accumulation does not in any case reach the pain threshold or the one in which any harmful effect on health occurs. PPE must prevent, as far as possible, the penetration of liquids and must not cause injury caused by contact between their protective coating and the operator.				
The choice of this type of PPE must be made by guaranteeing thermal insulation power and mechanical and chemical resistance adequate to the foreseeable conditions of use that the Head of the Prevention and Protection Service deems necessary.							
THE MIXTURE IS NOT EXPECTED TO CAUSE OR UNDERTAKE SUGNIFICANT TEMPERATURE CHANGES DURING THE INTENDED USE.							
8.2.3 Environmental exposure controls							
Prevent uncontrolled release into the environment.							
SECTION 9: Physical and chemical properties							
9.1 Information on basic physical and chemical properties							
The physical and chemical properties listed below are not to be considered technical specifications. The reference specifications are shown in the technical documentation.							
Physical and chemical properties		Value		Notes or analytical method			
a)	Physical state	Solid		As defined in Annex I, section 1.0 of Reg. 1272/2008			
b)	Colour	Various colours		--			
c)	Odour	Characteristic of the fragrance		--			
d)	Melting point/freezing point	Not determined		--			
e)	Boiling point or initial boiling point and boiling range	Not determined		--			
f)	Flammability	NO		Applicable to gases, liquids and solids			
g)	Lower and upper explosion limit	Not applicable		Not applicable to solids			
h)	Flash point	Not applicable		Does not apply to gases, aerosols and solids			
i)	Auto-ignition temperature	Not applicable		Only applicable to gases and liquids			

Mr&Mrs FRAGRANCE		MATERIAL SAFETY DATA SHEET		MIO
		AROMATIC WOOD		
Current revision date: 03/04/2024		Current revision number: 00	Previous revision date: --/--/----	Previous revision number: --
j)	Decomposition temperature	Not applicable	Only applicable to self-reactive substances and mixtures, organic peroxides and other substances and mixtures which may decompose.	
k)	pH	Not applicable	The mixture is not soluble in water	
l)	Kinematic viscosity	Not applicable	Applies to liquids only	
m)	Solubility	Insoluble in water, partially soluble in alcohol	--	
n)	Partition coefficient n-octanol/water (log value)	Not applicable	It does not apply to inorganic and ionic liquids and, as a rule, does not apply to mixtures	
o)	Vapour pressure	Not determined	According to the REACH regulation, the study must not be conducted if the melting point is above 300°C (Annex VII, column 2 adaptation).	
p)	Density and/or relative density	Not applicable	only applies to liquids and solids.	
q)	Relative vapour density	Not applicable	only applies to gases and liquids.	
r)	Particle characteristics	Not relevant. Non-particulate blend	applies only to solids	

9.2 Other information

a) Explosives:	Not applicable
b) Flammable gases:	Not applicable
c) Aerosols:	Not applicable
d) Oxidising gases:	Not applicable
e) Gases under pressure:	Not applicable
f) Flammable liquids:	Not applicable
g) Flammable solids:	Not applicable
h) Self-reactive substances and mixtures:	Not applicable
i) Pyrophoric liquids:	Not applicable
j) Pyrophoric solids:	Not applicable
k) Self-heating substances and mixtures:	Not applicable
l) Substances and mixtures, which emit flammable gases in contact with water:	Not applicable
m) Oxidising liquids:	Not applicable
n) Oxidizing solids:	Not applicable
o) Organic peroxides:	Not applicable
p) Corrosive to metals:	Not applicable
q) Desensitised explosives:	Not applicable

9.2.2 Other safety characteristics

a) mechanical sensitivity	Not applicable
b) self-accelerating polymerisation temperature	Not applicable
c) formation of explosible dust/air mixtures	Not applicable
d) acid/alkaline reserve	Not applicable
e) evaporation rate	Not determinated
f) miscibility	Not miscible with water
g) conductivity	Not applicable
h) corrosiveness	Not applicable
i) gas group	Not applicable
j) redox potential	Not applicable
k) radical formation potential	Not applicable
l) photocatalytic properties	Not applicable

Other physical and chemical parameters:

COV (Directive 2010/75 / EC)

1.80 %

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under normal conditions of use and storage.

10.2 Chemical stability

Stable under normal conditions of use and storage.

10.3 Possibility of hazardous reactions

None known under normal conditions of use.

10.4 Conditions to avoid

a) Temperature	:	do not subject to direct heating
b) Pressure	:	nothing to report
c) Light	:	nothing to report
d) Static discharge	:	nothing to report
e) Vibrations	:	nothing to report
f) Other physical stresses	:	no other data available

10.5 Incompatible materials

a) Water	:	avoid contact
b) Air	:	nothing to report
c) Acids	:	avoid contact
d) Bases	:	avoid contact
e) Oxidising agents	:	avoid contact
f) Reducing agents	:	avoid contact
g) Chemicals	:	avoid contact

10.6 Hazardous decomposition products

Under normal conditions the preparation does not decompose. Due to thermal decomposition, fumes harmful to health are released.

<div>Mr&Mrs</div> <div>FRAGRANCE</div>	MATERIAL SAFETY DATA SHEET		MIO
	AROMATIC WOOD		
Current revision date: 03/04/2024	Current revision number: 00	Previous revision date: --/--/----	Previous revision number: --

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Hazard classes		Information
a)	acute toxicity	: Not classified. based on available data, the classification criteria are not met.
b)	skin corrosion/irritation	: Not classified. based on available data, the classification criteria are not met.
c)	serious eye damage/irritation	: Not classified. based on available data, the classification criteria are not met.
d)	respiratory or skin sensitisation	: If brought into contact with the skin, it may cause skin sensitization.
e)	germ cell mutagenicity	: Not classified. based on available data, the classification criteria are not met.
f)	carcinogenicity	: Not classified. based on available data, the classification criteria are not met.
g)	reproductive toxicity	: Not classified. based on available data, the classification criteria are not met.
h)	STOT-single exposure	: Not classified. based on available data, the classification criteria are not met.
i)	STOT-repeated exposure	: Not classified. based on available data, the classification criteria are not met.
j)	aspiration hazard	: Not classified. based on available data, the classification criteria are not met.

Specific toxicological information for the substances contained (if available)

Substance:	Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated		
CAS:	93685-81-5		
ORAL	INHALATION	DERMAL	NOTES
Rat LD50: 5000 mg/kg bw	Rat LC50: 5000 mg/m³ air	Rabbit LD50: 2200 mg/kg bw	--
The values included in this section are those available, at the time of writing this SDS, in the ECHA dossier in the section Toxicological information or from the supplier's indications.			

Substance:	2,6-dimethyloct-7-en-2-ol / dihydromyrcenol		
CAS:	18479-58-8		
ORAL	INHALATION	DERMAL	NOTES
Rat LD50: 4100 mg/kg bw	--	--	--
The values included in this section are those available, at the time of writing this SDS, in the ECHA dossier in the section Toxicological information or from the supplier's indications.			

Substance:	Trimethylhexyl acetate		
CAS:	58430-94-7		
ORAL	INHALATION	DERMAL	NOTES
Rat LD50: 4250 mg/kg bw	--	Rabbit LD50: 5000 mg/kg bw	--
The values included in this section are those available, at the time of writing this SDS, in the ECHA dossier in the section Toxicological information or from the supplier's indications.			

Substance:	Isoamyl allylglycolate / Allyl (3-methylbutoxy)acetate		
CAS:	67634-00-8		
ORAL	INHALATION	DERMAL	NOTES
Rat LD50: 500 mg/kg bw	Rat LC50: 430 mg/m³ air	Rat LD50: 2000 mg/kg bw	--
The values included in this section are those available, at the time of writing this SDS, in the ECHA dossier in the section Toxicological information or from the supplier's indications.			

Substance:	Linalyl acetate		
CAS:	115-95-7		
ORAL	INHALATION	DERMAL	NOTES
Rat LD50: > 9000 mg/kg bw	--	Rabbit LD50: > 5000 mg/kg bw	--
The values included in this section are those available, at the time of writing this SDS, in the ECHA dossier in the section Toxicological information or from the supplier's indications.			

EXPOSURE AND HEALTH EFFECTS

Routes of exposure	Skin absorption.
Inhalation risk	No indication can be given about the rate in which a harmful concentration of the substance in the air is reached on evaporation at 20°C.
Effects of short-term exposure	The substance is mildly irritating to the eyes.
Effects of long-term or repeated exposure	--

SYMPTOMS BY SPECIFIC ROUTE OF EXPOSURE

Inhalation	--
Skin	--
Eyes	Redness.
Ingestion	--
Notes	--

Substance:	Linalool		
CAS:	78-70-6		
ORAL	INHALATION	DERMAL	NOTES
Mouse LD50: 2 200 mg/kg bw	MOuse LC50: > 3.2 mg/L (3200 mg/m³)	Rabbi LD50: 5 610 mg/kg bw	--
The values included in this section are those available, at the time of writing this SDS, in the ECHA dossier in the section Toxicological information or from the supplier's indications.			

EXPOSURE AND HEALTH EFFECTS

Routes of exposure	The substance can be absorbed into the body by inhalation of its aerosol and by ingestion
Inhalation risk	No indication can be given about the rate in which a harmful concentration of the substance in the air is reached on evaporation at 20°C.
Effects of short-term exposure	The substance is irritating to the eyes and the skin.
Effects of long-term or repeated exposure	The substance may have effects on the liver.

SYMPTOMS BY SPECIFIC ROUTE OF EXPOSURE

Inhalation	--
Skin	Redness. Ache.
Eyes	Redness. Ache.
Ingestion	--
Notes	--

Substance:	Tetramethyl acetyloctahydronaphthalenes		
CAS:	54464-57-2		
ORAL	INHALATION	DERMAL	NOTES
Rat LD50: 5000 mg/kg bw	--	Rat LD50: 5000 mg/kg bw	--
The values included in this section are those available, at the time of writing this SDS, in the ECHA dossier in the section Toxicological information or from the supplier's indications.			

Substance:	d-Limonene		
CAS:	5989-27-5		
ORAL	INHALATION	DERMAL	NOTES
Rat LD50: > 2000 mg/kg bw	--	Rabbit LD50: 5000 mg/kg bw	--

Mr&Mrs FRAGRANCE	MATERIAL SAFETY DATA SHEET			MIO	
	AROMATIC WOOD				
Current revision date: 03/04/2024	Current revision number: 00		Previous revision date: --/--/----	Previous revision number: --	
The values included in this section are those available, at the time of writing this SDS, in the ECHA dossier in the section Toxicological information or from the supplier's indications.					
EXPOSURE AND HEALTH EFFECTS					
Routes of exposure	Inhalation, skin, eye, ingestion				
Inhalation risk	No indication can be given about the rate at which a harmful concentration of this substance in the air is reached on evaporation at 20°C.				
Effects of short-term exposure	The substance is irritating to the skin. The substance is mildly irritating to the eyes.				
Effects of long-term or repeated exposure	Repeated or prolonged contact may cause skin sensitization.				
SYMPTOMS BY SPECIFIC ROUTE OF EXPOSURE					
Inhalation	Slight irritation of the upper respiratory tract				
Skin	Redness. Pain.				
Eyes	Redness.				
Ingestion	If ingested, it can enter the respiratory tract with even lethal consequences.				
Notes	--				
Substance:	1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one (INCI: Tetramethyl Acetyloctahydronaphthalenes)				
CAS:	68155-67-9				
ORAL	INHALATION		DERMAL	NOTES	
Rat LD50: > 5000 mg/kg bw	--		Rat LD50: > 5000 mg/kg bw	--	
The values included in this section are those available, at the time of writing this SDS, in the ECHA dossier in the section Toxicological information or from the supplier's indications.					
Substance:	1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one (INCI: Tetramethyl Acetyloctahydronaphthalenes)				
CAS:	68155-66-8				
ORAL	INHALATION		DERMAL	NOTES	
Rat LD50: > 5000 mg/kg bw	--		Rat LD50: > 5000 mg/kg bw	--	
The values included in this section are those available, at the time of writing this SDS, in the ECHA dossier in the section Toxicological information or from the supplier's indications.					
Substance:	Dihydro Terpinyl acetate				
CAS:	-- EC: 939-728-7				
ORAL	INHALATION		DERMAL	NOTES	
Rat LD50: 2000 mg/kg bw	--		Rat LD50: 2000 mg/kg bw	--	
The values included in this section are those available, at the time of writing this SDS, in the ECHA dossier in the section Toxicological information or from the supplier's indications.					
Substance:	4-tert-butylcyclohexyl acetate				
CAS:	32210-23-4				
ORAL	INHALATION		DERMAL	NOTES	
Rat LD50: 3370 mg/kg bw	--		Rabbit LD50: > 4680 mg/kg bw	--	
The values included in this section are those available, at the time of writing this SDS, in the ECHA dossier in the section Toxicological information or from the supplier's indications.					
Substance:	Dihydro pentamethylindanone				
CAS:	33704-61-9				
ORAL	INHALATION		DERMAL	NOTES	
Rat LD50: 2685 mg/kg bw	Rat LC50: 17400 mg/m³ air		Rat LD50: 2685 mg/kg bw	--	
The values included in this section are those available, at the time of writing this SDS, in the ECHA dossier in the section Toxicological information or from the supplier's indications.					
11.2 Information on other hazards					
11.2.1 Endocrine disrupting properties					
The mixture does NOT contain substances identified as having endocrine-disrupting properties in accordance with the criteria established in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentrations equal to or greater than 0.1% in weight.					
11.2.2 Other information					
No further data available					
SECTION 12: Ecological information					
Environmental Release Categories: ERC11a - Widespread use of articles with low release (indoor)					
12.1 Toxicity					
The product is dangerous for the environment as it is harmful to aquatic life with long lasting effects.					
Use according to good working practices, avoiding to disperse the product in the environment.					
Ecotoxicological information specific to the substances contained					
Substance:	Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated				
CAS:	93685-81-5				
LC50 – fish	96h – Not calculable	Species :	Oncorhynchus mykiss	Guideline :	OECD Guideline 203
EC50 – aquatic invertebrates	48h – Not calculable	Species :	Daphnia Magna	Guideline :	OECD Guideline 202
ERL50 - algae and cyanobacteria	72h – Not calculable	Species :	Desmodesmus subspicatus	Guideline :	OECD Guideline 201
NOEC Cronica fish	--	Species :	--	Guideline :	--
NOEC Cronica aquatic invertebrates	--	Species :	--	Guideline :	--
NOErL Cronic algae and cyanobacteria	--	Species :	--	Guideline :	--
Substance:	2,6-dimethyloct-7-en-2-ol / dihydromyrcenol				
CAS:	18479-58-8				
LC50 – fish	96h - 27.8 mg/l	Species :	Oncorhynchus mykiss	Guidelines :	OECD 203
EC50 – aquatic invertebrates	48h - 38 mg/L	Species :	Daphnia magna	Guidelines :	OECD 202
EC50 - aquatic algae and cyanobacteria	72h - 80 mg/L	Species :	Desmodesmus subspicatus	Guidelines :	OECD 201
NOEC chronic fish	96h - 19.9 mg/l	Species :	Oncorhynchus mykiss	Guidelines :	OECD 210
NOEC chronic invertebrates	48h - 10 mg/L	Species :	Daphnia magna	Guidelines :	OECD 211
NOEC chronic algae and cyanobacteria	72h – 25 mg/L	Species :	Desmodesmus subspicatus	Guidelines :	OECD 201
Substance:	Trimethylhexyl acetate				
CAS:	58430-94-7				
LC50 – fish	96h - 7.7 mg/L	Species :	Pimephales promelas	Guideline :	OECD203
EC50 – aquatic invertebrates	48h – 5.4 mg/L	Species :	Daphnia Magna	Guideline :	OECD202
ERL50 - algae and cyanobacteria	72h – 3.8 mg/L	Species :	Pseudokirchneriella supcapitata	Guideline :	OECD201
NOEC Cronica fish	96h --- mg/L	Species :	--	Guideline :	--
NOEC Cronica aquatic invertebrates	48h --- mg/L	Species :	--	Guideline :	--
NOErL Cronic algae and cyanobacteria	72h – 0.65 mg/L	Species :	Pseudokirchneriella supcapitata	Guideline :	OECD201

<div>Mr&Mrs</div> <div>FRAGRANCE</div>	MATERIAL SAFETY DATA SHEET					MIO	
	AROMATIC WOOD						
Current revision date: 03/04/2024		Current revision number: 00		Previous revision date: --/--/----		Previous revision number: --	
Substance:		Isoamyl allylglycolate / Allyl (3-methylbutoxy)acetate					
CAS:		67634-00-8					
LC50 – fish		96h: 0.77 mg/l		Species : --		Guidelines : --	
EC50 – aquatic invertebrates		48h: 5.09 mg/L		Species : Daphnia magna		Guidelines : --	
EC50 - aquatic algae and cyanobacteria		96h: 2.06 mg/L		Species : Desmodesmus subspicatus		Guidelines : --	
NOEC chronic fish		--		Species : --		Guidelines : --	
NOEC chronic invertebrates		--		Species : --		Guidelines : --	
NOEC chronic algae and cyanobacteria		--		Species : --		Guidelines : --	
Substance:		Linalyl acetate					
CAS:		115-95-7					
LC50 – fish		96h-11 mg/L		Species : Cyprinus carpio		Guidelines : OECD 203	
EC50 – aquatic invertebrates		48h-59 mg/L		Species : Daphnia magna		Guidelines : OECD 202	
EC50 - aquatic algae and cyanobacteria		96h-68 mg/L		Species : Pseudokirchneriella subcapitata		Guidelines : OECD 201	
NOEC chronic fish		--		Species : --		Guidelines : --	
NOEC chronic invertebrates		--		Species : --		Guidelines : --	
NOEC chronic algae and cyanobacteria		96h-3.9 mg/L		Species : Pseudokirchneriella subcapitata		Guidelines : OECD 201	
Substance:		Linalool					
CAS:		78-70-6					
LC50 – fish		96h - 27.8 mg/L		Species : Salmo gairdneri		Guideline : OECD Guideline 203	
EC50 – aquatic invertebrates		48h - 59 mg/L		Species : Daphnia magna		Guideline : OECD Guideline 202	
ERL50 - algae and cyanobacteria		96h - 156.7 mg/L		Species : Desmodesmus subspicatus		Guideline : DIN 38412 L 9	
NOEC Cronic fish		96h<3.5 mg/L		Species : Salmo gairdneri		Guideline : OECD Guideline 203	
NOEC Cronic aquatic invertebrates		48h-25 mg/L		Species : Daphnia magna		Guideline : OECD Guideline 202	
NOErL Cronic algae and cyanobacteria		96h - 54.3 mg/L		Specie : Desmodesmus subspicatus		Guideline : DIN 38412 L 9	
Substance:		Tetramethyl acetyloctahydronaphthalenes					
CAS:		54464-57-2					
LC50 – fish		96h-1,3 mg/L		Species : Lepomis macrochirus		Guidelines : OECD 203	
EC50 – aquatic invertebrates		48h-1.38 mg/L		Species : Daphnia magna		Guidelines : OECD 202	
EC50 - aquatic algae and cyanobacteria		72h- >2.6 mg/L		Species : --		Guidelines : OECD 201	
NOEC chronic fish		30d-0.54 mg/L		Species : Zebra fish		Guidelines : OECD 210	
NOEC chronic invertebrates		21d-0.044 mg/L		Species : Daphnia magna		Guidelines : OECD 211	
NOEC chronic algae and cyanobacteria		72h- >2.6 mg/L		Species : Scenedesmus subspicatus		Guidelines : OECD 201	
Substance:		d-Limonene					
CAS:		5989-27-5					
LC50 – fish		96h-< 1 mg/L		Species : Pimephales promelas		Guideline : OECD 203	
EC50 – aquatic invertebrates		48h-0.307 mg/L		Species : Daphnia magna		Guideline : OECD 202	
ERL50 - algae and cyanobacteria		72h-0.32 mg/L		Species : Pseudokirchneriella subcapitata		Guideline : OECD 201	
NOEC Cronica fish		--		Species : --		Guideline : --	
NOEC Cronica aquatic invertebrates		--		Species : --		Guideline : --	
NOErL Cronic algae and cyanobacteria		72h-0.174 mg/L		Species : Pseudokirchneriella subcapitata		Guideline : OECD 201	
Substance:		1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one (INCI: Tetramethyl Acetyloctahydronaphthalenes)					
CAS:		68155-67-9					
LC50 – fish		96h-0.563 mg/l		Species : Lepomis macrochirus		Guidelines : OECD 203	
EC50 – aquatic invertebrates		48h- 1.38 mg/l		Species : Daphnia magna		Guidelines : OECD guideline 202	
EC50 - aquatic algae and cyanobacteria		72h- > 2.6 mg/l		Species : Scenedesmus subspicatus		Guidelines : OECD guideline 201	
NOEC chronic fish		--		Species : --		Guidelines : --	
NOEC chronic invertebrates		--		Species : --		Guidelines : --	
NOEC chronic algae and cyanobacteria		72h- ≥ 2.6 mg/l		Species : Scenedesmus subspicatus		Guidelines : OECD guideline 201	
Substance:		1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one (INCI: Tetramethyl Acetyloctahydronaphthalenes)					
CAS:		68155-66-8					
LC50 – fish		96h-0.563 mg/l		Species : Lepomis macrochirus		Guidelines : OECD 203	
EC50 – aquatic invertebrates		48h- 1.38 mg/l		Species : Daphnia magna		Guidelines : OECD guideline 202	
EC50 - aquatic algae and cyanobacteria		72h- > 2.6 mg/l		Species : Scenedesmus subspicatus		Guidelines : OECD guideline 201	
NOEC chronic fish		--		Species : --		Guidelines : --	
NOEC chronic invertebrates		--		Species : --		Guidelines : --	
NOEC chronic algae and cyanobacteria		72h- ≥ 2.6 mg/l		Species : Scenedesmus subspicatus		Guidelines : OECD guideline 201	
Substance:		Dihydro Terpinyl acetate					
CAS:		-- EC: 939-728-7					
LC50 – fish		96h - 2.27 mg/l		Species : Danio rerio		Guideline : OECD 203	
EC50 – aquatic invertebrates		48h - 4.63 mg/l		Species : Daphnia magna		Guideline : OECD 202	
ERL50 - algae and cyanobacteria		72h - 2.73 mg/l		Species : Pseudokirchneriella subcapitata		Guideline : OECD 201	
NOEC Cronica fish		--		Species : --		Guideline : --	
NOEC Cronica aquatic invertebrates		--		Species : --		Guideline : --	
NOErL Cronic algae and cyanobacteria		72h - 0.939 mg/l		Species : Pseudokirchneriella subcapitata		Guideline : OECD 201	
Substance:		4-tert-butylcyclohexyl acetate					
CAS:		32210-23-4					
LC50 – fish		96h – 8.6 mg/L		Species : Cyprinus carpio		Guidelines : OECD203	
EC50 – aquatic invertebrates		48h – 5.3 mg/L		Species : Daphnia Magna		Guidelines : OECD202	
EC50 - aquatic algae and cyanobacteria		72h – 22 mg/L		Species : Desmodesmus subspicatus		Guidelines : OECD201	
NOEC chronic fish		--		Species : --		Guidelines : --	
NOEC chronic invertebrates		--		Species : --		Guidelines : --	
NOEC chronic algae and cyanobacteria		72h – 6.8 mg/L		Species : Desmodesmus subspicatus		Guidelines : OECD201	
Substance:		Dihydro pentamethylindanone					
CAS:		33704-61-9					
LC50 – fish		96h: 1.7 mg/l		Species : Oryzias latipes		Guidelines : OECD203	

Mr&Mrs FRAGRANCE	MATERIAL SAFETY DATA SHEET			MIO
	AROMATIC WOOD			
Current revision date: 03/04/2024	Current revision number: 00		Previous revision date: --/--/----	Previous revision number: --
EC50 – aquatic invertebrates	48h: 1.5 mg/l	Species : Daphnia magna	Guidelines : OECD202	
EC50 - aquatic algae and cyanobacteria	72h: 10 mg/l	Species : Desmodesmus subspicatus	Guidelines : OECD201	
NOEC chronic fish	--	Species : --	Guidelines : --	
NOEC chronic invertebrates	--	Species : --	Guidelines : --	
NOEC chronic algae and cyanobacteria	72h: 6 mg/l	Species : Desmodesmus subspicatus	Guidelines : OECD201	

12.2 Persistence and degradability

Data not available for the mixture.

Specific biodegradation information for the substances contained

Substance:	Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated		
CAS:	93685-81-5		
Biodegradation in water	Biodegradable	Test time :	28d
Substance:	2,6-dimethyloct-7-en-2-ol / dihydromyrcenol		
CAS:	18479-58-8		
Biodegradation in water	Easily biodegradable	Test time :	28d
Substance:	Trimethylhexyl acetate		
CAS:	58430-94-7		
Biodegradation in water:	Easily biodegradable	Test time :	28d
Substance:	Isoamyl allylglycolate / Allyl (3-methylbutoxy)acetate		
CAS:	67634-00-8		
Biodegradation in water:	Easily biodegradable	Test time :	28d
Substance:	Linalyl acetate		
CAS:	115-95-7		
Biodegradation in water	Easily biodegradable	Test time :	28d
Substance:	Linalool		
CAS:	78-70-6		
Biodegradation in water:	Easily biodegradable	Test time :	28d
Substance:	Tetramethyl acetyloctahydronaphthalenes		
CAS:	54464-57-2		
Biodegradation in water	Not biodegradable	Test time :	42d
Substance:	d-Limonene		
CAS:	5989-27-5		
Biodegradation in water:	Readily biodegradable	Test time :	28 d
Substance:	1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one (INCI: Tetramethyl Acetyloctahydronaphthalenes)		
CAS:	68155-67-9		
Biodegradation in water:	Not biodegradable	Test time :	42d
Substance:	1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one (INCI: Tetramethyl Acetyloctahydronaphthalenes)		
CAS:	68155-66-8		
Biodegradation in water	Not biodegradable	Test time :	42d
Substance:	Dihydro Terpinyl acetate		
CAS:	-- EC: 939-728-7		
Biodegradation in water	Easily biodegradable	Test time :	28d
Substance:	4-tert-butylcyclohexyl acetate		
CAS:	32210-23-4		
Biodegradation in water	Easily biodegradable	Test time :	28d
Substance:	Dihydro pentamethylindanone		
CAS:	33704-61-9		
Biodegradation in water	Not easily biodegradable	Test time :	28d

12.3 Bioaccumulative potential

Data not available for the mixture.

Bioaccumulation information specific to the substances contained

Substance:	Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated	
CAS:	93685-81-5	
Partition coefficient: n-octanol/water	:	The estimated log Pow in Petrisk using SPARC v4.2 is 6.96
BCF	:	Not available
Substance:	2,6-dimethyloct-7-en-2-ol / dihydromyrcenol	
CAS:	18479-58-8	
Partition coefficient: n-octanol / water	:	Log Kow (Log Pow): 3.25 a 40 °C
BCF	:	64.8 L/kg ww
Substance:	Trimethylhexyl acetate	
CAS:	58430-94-7	
Partition coefficient: n-octanol / water	:	Log Kow (Log Pow): 4.6 a 25°C
BCF	:	BCF (aquatic species): 2 000 L/kg ww
Substance:	Isoamyl allylglycolate / Allyl (3-methylbutoxy)acetate	
CAS:	67634-00-8	
Partition coefficient: n-octanol / water	:	Log Kow (Log Pow): 1.96 at 25°C
BCF	:	--

Mr&Mrs FRAGRANCE	MATERIAL SAFETY DATA SHEET		MIO
	AROMATIC WOOD		
Current revision date: 03/04/2024		Current revision number: 00	Previous revision date: --/--/----
Previous revision number: --			
Substance:	Linalyl acetate		
CAS:	115-95-7		
Partition coefficient: n-octanol / water	Log Kow (Log Pow): - 3.9 a 25 °C		
BCF	174 L/kg w/w		
Substance:	Linalool		
CAS:	78-70-6		
Partition coefficient: octanol/water :	:	Log Kow (Log Pow): - 2.9 a 20 °C	
BCF	:	The study should not be conducted because the substance has a low bioaccumulation potential based on log Kow <=3	
Substance:	Tetramethyl acetyloctahydronaphthalenes		
CAS:	54464-57-2		
Partition coefficient: n-octanol / water	:	Log Kow (Log Pow): 5.65 to 30°C	
BCF	:	391 L/kg ww	
Substance:	d-Limonene		
CAS:	5989-27-5		
Partition coefficient: n-octanol / water	:	Log Kow (Log Pow): 4.38 a 25°C	
BCF	:	690.1 L/kg ww	
Substance:	1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one (INCI: Tetramethyl Acetyloctahydronaphthalenes)		
CAS:	68155-67-9		
Partition coefficient: n-octanol/water	:	Log Kow (Log Pow): 5.65 at 30°C	
BCF	:	For aquatic organisms 391. For terrestrial organisms 5361 l/kg ww.	
Substance:	1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one (INCI: Tetramethyl Acetyloctahydronaphthalenes)		
CAS:	68155-66-8		
Partition coefficient: n-octanol/water	:	Log Kow (Log Pow): 5.65 at 30°C	
BCF	:	For aquatic organisms 391. For terrestrial organisms 5361 l/kg ww.	
Substance:	Dihydro Terpinyl acetate		
CAS:	-- EC: 939-728-7		
Partition coefficient: n-octanol / water	:	4.26 a 20°C	
BCF	:	348.3 l/kg w/w	
Substance:	4-tert-butylcyclohexyl acetate		
CAS:	32210-23-4		
Partition coefficient: n-octanol / water	:	Log Kow (Log Pow): 4.8 a 25°C	
BCF	:	334.6 L/kg w/w	
Substance:	Dihydro pentamethylindanone		
CAS:	33704-61-9		
Partition coefficient: n-octanol / water	:	4.2 a 20°C	
BCF	:	191 l/kg w/w	
12.4 Mobility in soil			
Data not available for the mixture.			
Mobility information in soil specific to the substances contained			
Substance:	Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated		
CAS:	93685-81-5		
The standard tests for this endpoint are intended for single substances and are not appropriate for these complex substances			
Substance:	2,6-dimethyloct-7-en-2-ol / dihydromyrcenol		
CAS:	18479-58-8		
A study was conducted following the OECD 121 guideline: the adsorption coefficient of the test element was determined to be 177.83 (Log Koc = 2.25). Given its high solubility in water, this value is low enough to suggest that the test element will show limited uptake to soil or sediment particles and will primarily depart into water (either surface water or groundwater compartments).			
Substance:	Trimethylhexyl acetate		
CAS:	58430-94-7		
Koc a 20 °C: 3 723.92 [Log Koc: 3.571] The substance is considered to be "slightly mobile" in sediments and soils (McCall 1981).			
Substance:	Isoamyl allylglycolate / Allyl (3-methylbutoxy)acetate		
CAS:	67634-00-8		
Koc at 20 °C: 80 L/kg [LogKoc: 1.85]			
Substance:	Linalyl acetate		
CAS:	115-95-7		
Log Koc = 2.6359 (Koc at 20 °C: 432.4) Based on this result, adsorption to the solid soil phase is not expected.			
Substance:	Linalool		
CAS:	78-70-6		
In accordance with column 2 of Annex VIII of REACH, adsorption/desorption tests (both screening and further tests) are not required as the substance is expected to have a low potential for adsorption based on its log Kow low (<3) and the substance is readily biodegradable and therefore degrades rapidly in the environment.			
Substance:	Tetramethyl acetyloctahydronaphthalenes		
CAS:	54464-57-2		
Koc at 20°C: 12589 [Log Koc: 4.12]			
Substance:	d-Limonene		
CAS:	5989-27-5		
Log Koc: 3.383 (Koc: 2413 L/kg a 20°C)			
Substance:	1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one (INCI: Tetramethyl Acetyloctahydronaphthalenes)		
CAS:	68155-67-9		
Koc at 20 °C: 12 589 [LogKoc: 4.12]			

<div>Mr&Mrs</div> <div>FRAGRANCE</div>	MATERIAL SAFETY DATA SHEET		MIO
	AROMATIC WOOD		
Current revision date: 03/04/2024	Current revision number: 00	Previous revision date: --/--/----	Previous revision number: --

Substance:	1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one (INCI: Tetramethyl Acetyloctahydronaphthalenes)		
CAS:	68155-66-8		
Koc at 20 °C: 12 589 [LogKoc: 4.12]			
Substance:	Dihydro Terpinyl acetate		
CAS:	--	EC: 939-728-7	
Koc at 20 °C: 1 081 (LogKoc = 3.034)			
Substance:	4-tert-butylcyclohexyl acetate		
CAS:	32210-23-4		
Koc at 20 °C: 3 923			
Substance:	Dihydro pentamethylindanone		
CAS:	33704-61-9		
Koc at 20°C: 200 [= LogKoc: 2.3]			

12.5 Results of PBT and vPvB assessment

The chemical safety report is not required for the mixture. However, based on the available data, the mixture does not contain PBT or vPvB substances in a percentage higher than 0.1 in accordance with Regulation 1907/2006, annex XIII.

12.6 Endocrine disrupting properties

The mixture does NOT contain substances identified as having endocrine-disrupting properties in accordance with the criteria established in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentrations equal to or greater than 0.1% in weight.

12.7 Other adverse effects

Classification for water pollution in Germany (AwSV, vom 18. April 2017): WGK 2: Dangerous for the waters.

SECTION 13: Disposal considerations

The substance/mixture shall not be removed through the sewerage system.

13.1 Waste treatment methods

Container material and type:

Glass / Plastic / Paper / Metal / Composite (identify the exact material from the symbols on the packaging).

Methods for waste treatment of the substance or mixture:

DANGER FEATURES (Directive 2008/98 / EC):	No hazard characteristics identified
RECOVERY OPERATIONS (Directive 2008/98 / EC):	R 13 Storage of waste pending any of the operations numbered R 1 to R 12
DISPOSAL OPERATIONS (Directive 2008/98 / EC):	D13 - Blending or mixing prior to submission to any of the operations numbered D 1 to D 12
EER CODE :	20 01 39 - plastic

Methods for handling any contaminated packaging:

DANGER FEATURES (Directive 2008/98 / EC):	No hazard characteristics identified
RECOVERY OPERATIONS (Directive 2008/98 / EC):	R 13 Storage of waste pending any of the operations numbered R 1 to R 12
DISPOSAL OPERATIONS (Directive 2008/98 / EC):	D13 - Blending or mixing prior to submission to any of the operations numbered D 1 to D 12
EER CODE :	15 01 02 plastic packaging

Physical / chemical properties that can affect waste treatment:

None

Special precautions for recommended waste treatment:

The hazard characteristics, disposal and recovery operations and the suggested EWC codes refer to the product as it is without considering any changes due to use. It is therefore recommended, before disposal, to reclassify the waste, also evaluating its origin. Any mixing of different types of non-hazardous waste and any mixture of different hazardous waste is prohibited (Article 23 of Directive 2008/98 / EC). Disposal must be entrusted to an authorized waste treatment company, in compliance with national and possibly local regulations

SECTION 14: Transport information

Not included in the scope of the regulations on the transport of dangerous goods: by road (ADR); by rail (RID); by air (ICAO / IATA); by sea (IMDG).

		ADR	IMDG	IATA
14.1	UN number or ID number		Not applicable	
14.2	UN proper shipping name		Not applicable	
14.3	Transport hazard class(es)		Not applicable	
14.4	Packing group		Not applicable	
14.5	Environmental hazards		Not applicable	
14.6	Special precautions for user		Not applicable	
14.7	Maritime transport in bulk according to IMO instruments		Not applicable	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives.

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products.

Commission Delegated Regulation (EU) 2017/2100 of 4 September 2017 setting out scientific criteria for the determination of endocrine-disrupting properties pursuant to Regulation (EU) No 528/2012 of the European Parliament and Council.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 replacing Annex III to Directive 2008/98/EC of the European Parliament and of the Council on waste and repealing certain Directives

COMMISSION DECISION of 18 December 2014 amending Decision 2000/532/EC on the list of waste pursuant to Directive 2008/98/EC of the European Parliament and of the Council

REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents

Directive 2010/75/EU of the European Parliament and of the Council of 24 November 2010 on industrial emissions (integrated pollution prevention and control)

Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC

<div>Mr&Mrs</div> <div>FRAGRANCE</div>	MATERIAL SAFETY DATA SHEET		MIO
	AROMATIC WOOD		
Current revision date: 03/04/2024	Current revision number: 00	Previous revision date: --/--/----	Previous revision number: --

DIRECTIVE 2012/18/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC

Product: CESARE CEDAR WOOD **Category SEVESO:** --

Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors, amending Regulation (EC) No 1907/2006 and repealing Regulation (EU) No 98/2013

The mixture does not contain an explosive precursor.

15.2 Chemical safety assessment

Chemical safety assessment for the mixture not foreseen. This safety data sheet contains one or more Exposure Scenarios in an integrated form. The content, where relevant, has been included in sections 1.2, 8, 9, 12, 15 and 16 of the same safety data sheet

SECTION 16: Other information

16.1 Indication of any points of the SDS that have been revised

First issue

16.2 Key abbreviations and acronyms used in this SDS

APVR Respiratory protective equipment	FPO Operational protection factor
ATE Acute Toxicity Estimates	GHS Globally Harmonized System
BCF Bioconcentration Factor	HP Hazardous Properties
CAS Chemical abstract service	IMO International Maritime Organization
CE European Community	ISO International Standard Organization
CLP Classification, Labelling and Packaging	LC50 Median lethal concentration
COV Volatile Organic Compounds	LD50 Median lethal dose
DNEL Derived No Effect Level	N.A.S. Not otherwise specified
DPI Dispositivi di Protezione Individuale	NOEC No observed effect concentration
EC European Community	ONU United Nations Organization
EC50 Half maximal effective concentration	PBT Persistent, Bioaccumulative and Toxic Substances
ECHA European Chemicals Agency	vPvB Very Persistent and very Bioaccumulative substances
EER European Waste List	ppm Parts per milion
EmS Emergency Schedules	PROC Category of processes
EN European normalization	REACH Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals
ERC Environmental release categories	STOT Specific target organ toxicity
EUH Supplemental hazard information	STP Sewage treatment plant
EuPCS European Product Categorisation System	UE European Union
FPN Protection factor Nominal	UFI Unique Identifier of Formula
FFP Filtering Facepiece	UNI Italian Standard Orgnization.

16.3 Full text of the Classification Information set out in Section 3

Description of the hazard class and category codes set out in section 3	Description of the hazard statements set out in section 3
Flam. Liq. 3 - Flammable liquids, Hazard Category 3	H226 - Flammable liquid and vapour.
Asp. Tox. 1 - Aspiration hazard, Hazard Category 1	H304 - May be fatal if swallowed and enters airways.
Aquatic Chronic 4 -Hazardous to the aquatic environment — Chronic Hazard, Category 4	H413 - May cause long lasting harmful effects to aquatic life.
Skin Irrit. 2 - Skin corrosion/irritation, Hazard Category 2	H315 - Causes skin irritation
Eye Irrit. 2 - Serious eye damage/eye irritation, Hazard Category 2	H319 - Causes serious eye irritation
Aquatic Chronic 2 -Hazardous to the aquatic environment — Chronic Hazard, Category 2	H411 - Toxic to aquatic life with long lasting effects.
Acute Tox. 4 - Acute toxicity (oral), Hazard Category 4	H302 - Harmful if swallowed.
Skin. Sens. 1 - Sensitisation — Skin, hazard category 1	H317 - May cause an allergic skin reaction.
Skin. Sens. 1B - Sensitisation — Skin, hazard category 1B	H317 - May cause an allergic skin reaction.
Aquatic Acute 1 -Hazardous to the aquatic environment — AcuteHazard, Category 1	H400 - Very toxic to aquatic life.
Aquatic Chronic 1 -Hazardous to the aquatic environment — Chronic Hazard, Category 1	H410 - Very toxic to aquatic life with long lasting effects
Aquatic Chronic 3 -Hazardous to the aquatic environment — Chronic Hazard, Category 3	H412 - Harmful to aquatic life with long lasting effects

Indicazioni di pericolo supplementari esposte alla sezione 3

EUH066 =Repeated exposure may cause skin dryness or cracking

M-Factor Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1.

Notes related to the identification, classification and labeling of substances defined in Annex VI of CLP C = Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

16.4 Bibliographical references and main data sources

ECHA European Chemicals Agency	OSHA European Agency for Safety and Health at Work	IARC International Agency for Research on Cancer
TOXNET Toxicology Data Network	WHO World Health Organization	ACGIH American Conference of Governmental Industrial Hygienists
CheLIST Chemical Lists Information System	ICSCs International Chemical Safety Cards	ILO International Labour Organization
IPCS International Programme on Chemical Safety (Cards)	NIOSH Registry of toxic effects of chemical substances (1983)	IFA Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung

16.5 Normative references and / or documents (from which the data in section 8.1 derive)

Code ⁽¹⁾	State	Bibliography / documents --> LINK	
AUS	Australia	https://www.dguv.de/ifa/...../limit-values-australia/index-2.jsp	https://engage.swa.gov.au/workplace-exposure-standards-review
		https://www.safeworkaustralia.gov.au/exposure-standards#exposure-standards-in-australia	
AUT	Austria	https://www.dguv.de/ifa/...../limit-values-austria/index-2.jsp	https://www.jusline.at/gesetz/gkv_2011
		https://www.ris.bka.gv.at/GeltendeFassung.wxe?Abfrage=Bundesnormen&Gesetzesnummer=20001418	
BEL	Belgium	https://www.dguv.de/ifa/...../limit-values-belgium/index-2.jsp	https://employment.belgium.be/en
BGR	Bulgaria	https://pirogo.eu/bg/	
CAN	Canada-Ontario	https://www.dguv.de/ifa/...../limit-values-canada-ontario/index-2.jsp	https://www.labour.gov.on.ca/english/hs/pubs/oel_table.php
CAN	Canada-Québec	https://www.dguv.de/ifa/...../limit-values-canada-quebec/index-2.jsp	http://legisquebec.gouv.qc.ca/fr/showdoc/cr/S-.....
		https://www.csst.qc.ca/Pages/index.aspx	
CYP	Cyprus	http://www.mlsi.gov.cy/	
CAE	Czech Republic	https://www.mzcr.cz/	
HRV	Croatia	https://www.hzt.hr	
DNK	Denmark	https://www.dguv.de/ifa/...../limit-values-denmark/index-2.jsp	https://www.retsinformation.dk/eli/ita/2019/1458
EST	Estonia	http://www.16662.ee/	
EU ⁽²⁾	European Union	https://www.dguv.de/ifa/...../limit-values-european-union/index-2.jsp	https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX:31998L0024
		https://eur-lex.europa.eu/legal-content/EN/TXT/?qid=1523372586043&uri=CELEX:32004L0037	
FIN	Finland	https://www.dguv.de/ifa/...../limit-values-finland/index-2.jsp	https://julkaisut.valtioneuvosto.fi/handle/10024/160967
FRA	France	https://www.dguv.de/ifa/...../limit-values-france/index-2.jsp	https://www.anses.fr/fr
		http://www.inrs.fr/acceuil/dms/inrs/CataloguePapier/ED/TI-ED-984/ed984.pdf	
DEU	Germany (AGS)	https://www.dguv.de/ifa/...../limit-values-germany-(ags)/index-2.jsp	https://www.baua.de/DE/...../Regelwerk/TRGS/pdf/TRGS-900.pdf
DEU	Germany (DFG)	https://www.dguv.de/ifa/...../limit-values-germany-(dfg)/index-2.jsp	https://www.dfg.de/en/dfg_profile/...../health_hazards/index.html
		https://www.dfg.de/dfg_profil/gremien/senat/arbeitsstoffe/publikationen/index.html	
GRC	Greece	http://www.gcsl.gr/	

Mr&Mrs FRAGRANCE		MATERIAL SAFETY DATA SHEET AROMATIC WOOD		MIO
Current revision date: 03/04/2024		Current revision number: 00	Previous revision date: --/--/----	Previous revision number: --
HUN	Hungary	https://www.dguv.de/ifa/...../limit-values-hungary/index-2.jsp	https://www.biztonsagiadatlap.hu/...../5_2020-II.-6.-ITM-rendelet.pdf	
ISL	Iceland	https://www.ust.is/the-environment-agency-of-iceland/chemicals/		
IRL	Ireland	https://www.dguv.de/ifa/...../limit-values-ireland/index-2.jsp	https://www.hsa.ie/eng/.../2016_CodePracticeChemicalAgentsRegulations/	
ITA	Italy	https://www.dguv.de/ifa/...../limit-values-italy/index-2.jsp	http://www.preparatipericolosi.iss.it	
JPN	Japan (MHLW)	https://www.dguv.de/ifa/...../limit-values-japan/index-2.jsp	https://www.mhlw.go.jp/english/index.html	
JPN	Japan (JSOH)	https://www.dguv.de/ifa/...../limit-values-japan-jsoh/index-2.jsp	https://www.sanei.or.jp/	
LVA	Latvia	https://www.dguv.de/ifa/...../limit-values-latvia/index-2.jsp	https://likumi.lv/doc.php?id=157382&from=off	
LTU	Lithuania	http://www.gamta.lt/		
LUX	Luxembourg	http://www.ms.public.lu/fr/		
MLT	Malta	https://mccaa.org.mt/		
NZL	New Zealand	https://www.dguv.de/ifa/...../limit-values-new-zealand/index-2.jsp	https://worksafe.govt.nz/.work-health/...-std-biol-exposure-indices/	
NOR	Norway	http://www.miliodirektoratet.no/	https://www.fhi.no/en/	
CHN	People's Republic of China	https://www.dguv.de/ifa/...../limit-values-china/index-2.jsp	http://www.nhfpc.gov.cn/zhuz/pvl/200704/38838.shtml	
POL	Poland	https://www.dguv.de/ifa/...../limit-values-poland/index-2.jsp	http://www.ciop.pl/	
PRT	Portugal	http://www.inem.pt/ciav		
ROU	Romania	https://www.dguv.de/ifa/...../limit-values-romania/index-2.jsp	http://www.mmuncii.ro/.../5114-11042018_modif_HG-1218_Ag_chimici.pdf	
SGP	Singapore	https://www.dguv.de/ifa/...../limit-values-singapore/index-2.jsp	https://sso.agc.gov.sg/Act/WSHA2006	
SVK	Slovakia	http://www.ntic.sk/		
SVN	Slovenia	http://www.uk.gov.si/		
KOR	South Korea	https://www.dguv.de/ifa/...../limit-values-south-korea/index-2.jsp	http://www.kiha.kr/main/community_view.htm?uid=763&tbn=gongi&page=3	
ESP	Spain	https://www.dguv.de/ifa/...../limit-values-spain/index-2.jsp	https://www.insst.es/	
SWE	Sweden	https://www.dguv.de/ifa/...../limit-values-sweden/index-2.jsp	https://www.av.se/.../hygieniska-gransvarden-afs-20181-foreskrifter/	
CHE	Switzerland	https://www.dguv.de/ifa/...../limit-values-switzerland/index-2.jsp	http://suissepro.org/	
NLD	The Netherlands	https://www.dguv.de/ifa/...../limit-values-the-netherlands/index-2.jsp	https://www.ser.nl/en	
		https://wetten.overheid.nl/BWBR0008587/2017-07-01-BijlageXIII		
TUR	Turkey	https://www.dguv.de/ifa/...../limit-values-turkey/index-2.jsp		
USA	USA - NIOSH	https://www.dguv.de/ifa/...../limit-values-usa-niosh/index-2.jsp	https://www.cdc.gov/niosh/	
USA	USA - OSHA	https://www.dguv.de/ifa/...../limit-values-usa-osha/index-2.jsp	www.osha.gov	
GBR	United Kingdom	https://www.dguv.de/ifa/...../limit-values-united-kingdom/index-2.jsp	https://www.hse.gov.uk/research/hsl_pdf/2002/hsl02-23.pdf	

⁽¹⁾ ISO3166-1 alpha-3 ⁽²⁾ NO ISO CODE

16.6 Procedures used to derive classification under Regulation (EC)1272/2008 [CLP] in relation to mixtures

Classification according to Regulation (EC) No. 1272/2008	Classification procedure
H317 Skin. Sens. 1	Presence of component in concentration equal to or higher than the defined limit - Annex I, sect. 3.4.3 - Respiratory or skin sensitisation
H412 Aquatic Chronic 3	Additivity theory - Annex I, section 4.1.3 - Hazardous to the aquatic environment

16.7 Any appropriate training courses for workers in order to ensure the protection of human health and the environment

- Training course on the management and interpretation of the SDS
- ADR training for personnel involved in handling
- Training on the use of PPE

More information

Safety Data Sheet compliant with regulation (EU) n. 2020/878 of 18 June 2020

This document has been drawn up by a competent SDS technician who has received adequate training and is certified according to the reference practice UNI / PdR 60: 2019. Certificate issued by INTERTEK ITALIA S.p.A. Registration number: EPTAS2018-00225 exp. 25-Nov-2023

The information in this safety data sheet has been obtained from the best available or known to us on the market at the revision date indicated. Neither the company holding this sheet nor its subsidiaries will be able to accept complaints arising from improper use of the information indicated here or from improper use in applying the product. Pay particular attention to the use of preparations because improper use can increase their danger.

END OF SAFETY DATA SHEET